



Final Environmental Assessment

Western Range Command Transmit Site

Vandenberg Air Force Base California

20 January 2005

Final Environmental Assessment

Western Range Command Transmit Site

**Vandenberg Air Force Base
California**

Submitted To:

Department of the Air Force
30th Space Wing
Environmental Flight
Vandenberg Air Force Base, California

20 January 2005

Prepared By:

SRS Technologies
105 North H Street
Lompoc, California 93436

Contents

Table of Contents.....	i
List of Figures	iv
List of Tables.....	v
Acronyms and Abbreviations	vii
1. Purpose of and Need for the Proposed Action	1-1
1.1 Project Location	1-1
1.2 Purpose and Need	1-1
1.3 Scope of the Environmental Assessment	1-4
1.4 Applicable Regulatory Requirements	1-4
2. Description of the Proposed Action and Alternatives	2-1
2.1 Alternative A: Proposed Action.....	2-2
2.1.1 Access Roads, Parking Areas, and Docking Pads.....	2-6
2.1.2 Office/Maintenance Building	2-6
2.1.3 VUS Transportable Units, Omni-antennas and Directional Antennas.....	2-6
2.1.4 Water Supply.....	2-8
2.1.5 Electrical Power Supply	2-9
2.1.6 Generators and Fuel Storage Tanks.....	2-9
2.1.7 Septic Waste System.....	2-11
2.1.8 Communications.....	2-11
2.1.9 Construction Constraints and Monitoring Measures.....	2-13
2.1.9.1 Biological Resources	2-13
2.1.9.2 Cultural Resources	2-13
2.1.9.3 Air Quality.....	2-13
2.1.9.4 Water Resources.....	2-14
2.1.9.5 Earth Resources	2-14
2.1.9.6 Hazardous Materials and Waste Management	2-14
2.1.9.7 Human Health and Safety.....	2-14
2.1.9.8 Environmental Protection Plan.....	2-14
2.2 Alternative B: No-Action Alternative.....	2-14
2.3 Alternative C: New WR CT Site West of 13 th Street.....	2-14
2.4 Alternatives Eliminated from Further Consideration.....	2-15
2.4.1 Alternative D: New WR CT Site at Building 1836 Site	2-15
2.4.2 Alternative E: New WR CT Site at Building 1680 Site	2-15
2.4.3 Alternative F: New WR CT Site at Cross Road	2-18
2.5 Comparison of Alternatives	2-18
3. Affected Environment.....	3-1
3.1 Biological Resources.....	3-1
3.1.1 Methodology	3-1
3.1.2 Botanical Resources.....	3-1
3.1.3 Wildlife Resources.....	3-3
3.1.4 Sensitive Habitats and Special Status Species	3-4
3.1.4.1 Habitats and Plant Species.....	3-4
3.1.4.2 Wildlife Species	3-5
3.1.5 Waters of the United States and Wetlands	3-8
3.2 Cultural Resources.....	3-8

3.2.1	Existing Resources.....	3-8
3.2.2	Archival Research	3-8
3.3	Air Quality	3-9
3.3.1	Regional Climate and Meteorology.....	3-10
3.3.2	Existing Air Quality	3-10
3.4	Water Resources	3-12
3.4.1	Regional Setting	3-12
3.4.2	Hydrology.....	3-13
3.4.3	Surface Water	3-15
3.5	Earth Resources	3-15
3.5.1	Geology and Soils	3-15
3.5.2	Seismology.....	3-16
3.5.3	Geological Hazards	3-16
3.6	Hazardous Materials and Waste Management.....	3-16
3.6.1	Hazardous Materials Management.....	3-16
3.6.2	Hazardous Waste Management	3-17
3.6.3	Installation Restoration Program	3-17
3.6.4	Hazardous Materials and Waste Transport.....	3-17
3.6.5	Solid Waste	3-17
3.6.6	Pollution Prevention	3-18
3.7	Land Use and Aesthetics	3-18
3.7.1	Setting	3-18
3.7.2	Coastal Zone Management	3-19
3.8	Utilities	3-19
3.8.1	Electrical System.....	3-19
3.8.2	Water System.....	3-20
3.9	Human Health and Safety	3-20
4.	Environmental Consequences	4-1
4.1	Biological Resources	4-1
4.1.1	Alternative A: Proposed Action	4-1
4.1.1.1	Botanical Resources	4-2
4.1.1.2	Wildlife Species.....	4-3
4.1.2	Alternative B: No-Action Alternative	4-6
4.1.3	Alternative C.....	4-6
4.2	Cultural Resources	4-7
4.2.1	Alternative A: Proposed Action	4-7
4.2.2	Alternative B: No-Action Alternative	4-7
4.2.3	Alternative C.....	4-7
4.3	Air Quality	4-7
4.3.1	Alternative A: Proposed Action	4-7
4.3.1.1	Construction	4-8
4.3.1.2	Operations.....	4-8
4.3.2	Alternative B: No-Action Alternative	4-9
4.3.3	Alternative C.....	4-9
4.4	Water Resources	4-9
4.4.1	Alternative A: Proposed Action	4-10
4.4.2	Alternative B: No-Action Alternative	4-10
4.4.3	Alternative C: Alternative C	4-10
4.5	Earth Resources	4-10
4.5.1	Alternative A: Proposed Action	4-10

4.5.2	Alternative B: No-Action Alternative	4-11
4.5.3	Alternative C: Alternative C	4-11
4.6	Hazardous Materials and Waste Management	4-11
4.6.1	Alternative A: Proposed Action	4-11
4.6.2	Alternative B: No-Action Alternative	4-12
4.6.3	Alternative C: Alternative C	4-12
4.7	Land Use and Aesthetics	4-12
4.7.1	Alternative A: Proposed Action	4-13
4.7.2	Alternative B: No-Action Alternative	4-13
4.7.3	Alternative C	4-14
4.8	Utilities	4-14
4.8.1	Alternative A: Proposed Action	4-14
4.8.2	Alternative B: No-Action Alternative	4-14
4.8.3	Alternative C	4-14
4.9	Human Health and Safety	4-14
4.9.1	Alternative A: Proposed Action	4-14
4.9.2	Alternative B: No-Action Alternative	4-16
4.9.3	Alternative C	4-16
4.10	Cumulative Impacts	4-16
5.	Agencies and Persons Contacted	5-1
6.	List of Preparers	6-1
7.	Bibliography	7-1
8.	Distribution List	8-1

Appendices

Appendix A – Bentonite Material Safety Data

Appendix B – Biological Resources

Appendix C – Cultural Resources

Appendix D – Air Quality Analysis

List of Figures

1-1	General location of Vandenberg AFB and the proposed WR CT Site	1-2
1-2	Area proposed for the new WR CT Site.....	1-3
1-3	Launch facilities and existing command transmit sites on Vandenberg AFB	1-5
2-1	Location of Proposed Action Area	2-3
2-2	WR CT Site project area under the Proposed Action for analyses purposes in this EA...	2-4
2-3	General layout of proposed WR CT Site	2-5
2-4	VUS Transportable unit	2-7
2-5	Elevation detail of antennas for proposed WR CT Site	2-8
2-6	Electrical power supply to proposed WR CT Site under the Proposed Action	2-10
2-7	Fiber optic cable route for proposed WR CT Site under the Proposed Action	2-12
2-8	Location of WR CT Site and project area under Alternative C for analyses purposes in this EA.....	2-16
2-9	Location of sites for Alternatives D, E, and F	2-17
3-1	Location of Gaviota tarplant and Kellogg's horkelia specimens.....	3-2
3-2	Extent of San Antonio Creek drainage basin	3-13
3-3	Location of San Antonio Creek with respect to locations for the proposed WR CT Site under the Proposed Action and Alternative C	3-14

List of Tables

1-1	Federal and State laws applicable to the implementation of the Proposed Action	1-6
2-1	Construction times for the proposed WR CT Site	2-2
2-2	Equipment use during construction of the proposed WR CT Site	2-2
2-3	Volumes of asphalt and concrete that would be used for the access roads and pads	2-6
2-4	Comparison of alternatives by resource area	2-19
3-1	Acreage of Central Coastal Scrub found within the APE for the WR CT Site project	3-3
3-2	Federal special status plant species and other plant species of concern that occur or with potential to occur within the APE for the WR CT Site project	3-4
3-3	Federal special status wildlife species and other species of concern that occur or with potential to occur within the APE for the WR CT Site project	3-6
3-4	References for previous archaeological studies recorded within 1.0 mile of the project area	3-9
3-5	Archaeological sites within 0.25 mile of the WR CT project APE	3-9
3-6	Ambient air quality standards	3-11
3-7	Existing emissions	3-12
3-8	Summary of peak flows and volumes of San Antonio Creek	3-13
3-9	Comparative A-Weighted sound levels	3-21
4-1	Potential Proposed Action project related impacts to native plant communities and special status plant species	4-2
4-2	Noise levels as a result of construction activities associated with the Proposed Action..	4-3
4-3	Potential impacts to federal special status wildlife species that occur or with potential to occur within the APE	4-6
4-4	Distribution of Land Use on Vandenberg AFB	4-13
4-5	Safe distances for directional antennas	4-15
4-6	L_{eq1h} noise levels as a result of construction activities	4-15

This page intentionally left blank.

Acronyms and Abbreviations

%	Percent
°F	Degrees Fahrenheit
30 CES/CEVPN	30 th Space Wing Civil Engineering Squadron, Environmental Flight, Natural Resources Section
30 SW	30 th Space Wing
30 SCS	30 th Space Wing Space Communication Squadron
AADT	Average annual daily trips
AFB	Air Force Base
AFCEE	Air Force Center for Environmental Excellence
AFI	Air Force Instruction
AFOSH	Air Force Occupational Safety and Health
AHPA	Archaeological and Historic Preservation Act
AIRFA	American Indian Religious Freedom Act
AOC	Area of Concern
AOI	Area of Interest
APE	Area of Potential Effects
ARPA	Archaeological Resources Protection Act
AST	Aboveground Storage Tank
AWG	American Wire Gauge
BMP	Best Management Practices
CAA	Clean Air Act
CAAQS	California Ambient Air Quality Standards
Caltrans	California Department of Transportation
CCA	California Coastal Act
CCR	California Code of Regulations
CCWA	Central Coast Water Authority
CDFG	California Department of Fish and Game
CEQ	Council on Environmental Quality
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
cfs	Cubic feet per second
CNDDB	California Natural Diversity Database
CNPS	California Native Plant Society
CO	Carbon monoxide
CPIF	California Partners in Flight
CSC	California species of concern
CT	Command Transmit
CWA	Clean Water Act
CZMA	Coastal Zone Management Act
dB	Decibel
dBA	A-weighted decibels
DOD	Department of Defense
DOT	Department of Transportation
EA	Environmental Assessment
EELV	Evolved Expendable Launch Vehicle
EO	Executive Order
EOD	Explosive Ordnance Disposal
EPA	Environmental Protection Agency

EPCRA	Emergency Planning and Community Right-to-Know Act
EPP	Environmental Protection Plan
ESA	Endangered Species Act
FE	Federally endangered
FP	Federally protected
FSC	Federal species of concern
ft	Feet
ft ²	Square feet
H ₂ S	Hydrogen sulfide
Hazmart	Hazardous Materials Pharmacy
HSWA	Hazardous and Solid Waste Amendments
HWMP	Hazardous Waste Management Plan
ICBM	Intercontinental Ballistic Missile
IRP	Installation Restoration Program
KVA	Kilovolts-Ampere
Kw	Kilowatts
L _{eq}	Average sound level
L _{eq1H}	One-hour average sound level
LOS	Line-of-sight
MBTA	Migratory Bird Treaty Act
MFTGS	Missile Flight Termination Ground System
mgd	Million gallons per day
NAAQS	National Ambient Air Quality Standards
NAGPRA	Native American Graves Protection and Repatriation Act
NCA	Noise Control Act
NDPES	National Pollutant Discharge Elimination System
NEPA	National Environmental Policy Act
NHPA	National Historic Preservation Act
NO ₂	Nitrogen dioxide
NOAA	National Oceanic and Atmospheric Administration
NOI	Notice of Intent
NO _x	Nitrogen oxides
NRCS	Natural Resources Conservation Service
NRHP	National Register of Historic Places
O ₃	Ozone
ODC	Ozone depleting chemical
OSHA	Occupational Health and Safety Act
P2	Pollution Prevention
Pa	Pascal
Pb	Lead
PGE	Pacific Gas and Electric Company
PM ₁₀	Particulate matter 10 microns or less in diameter
PM _{2.5}	Particulate matter 2.5 microns or less in diameter
POL	Petroleum oil and lubricants
PPA	Pollution Prevention Act
ppm	Parts per million
PPMP	Pollution Prevention Management Act
RCRA	Resource Conservation and Recovery Act
RF	Radio frequency
RNV	Satellite and Launch Control Systems Program Office, Western Range
ROC	Reactive organic compound

RSOR	Range Safety Operations Requirement
RWQCB	Regional Water Quality Control Board
SBCAPCD	Santa Barbara County Air Pollution Control District
SE	State endangered
SEL	Sound exposure level
SLC	Space Launch Complex
SMC	Space and Missile Systems Center
SO ₂	Sulfur dioxide
SO ₄	Sulfate
SR	State Route
SW	Space Wing
SWPPP	Storm Water Pollution Prevention Plan
USAF	U.S. Air Force
USC	U.S. Code
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey
UXO	Unexploded ordnance
VOC	Volatile organic compound
VUS	Vehicle Uplink System
WR	Western Range
yd ³	Cubic yards
µg/m ³	micrograms per cubic meter

This page intentionally left blank.

Chapter 1. Purpose of and Need for the Proposed Action

The United States Air Force (Air Force or USAF) proposes to construct a new Missile Flight Termination Ground System (MFTGS) dock facility in 2005 that will serve as the Western Range (WR) Command Transmit (CT) site, on Vandenberg Air Force Base (AFB), California, in an undeveloped area west of 13th Street and south of Watt Road. This Environmental Assessment (EA) has been prepared to evaluate the potential environmental effects of implementing the Proposed Action and alternatives.

1.1 Project Location

Vandenberg AFB is headquarters for the 30th Space Wing (SW). The Air Force's primary missions at Vandenberg AFB are the launching and tracking of satellites into space polar earth orbit, training missile and space crews, testing and evaluating America's Intercontinental Ballistic Missile (ICBM) systems, and supporting aircraft tests in the Western Range (USAF 2004).


Vandenberg AFB is located on the south-central coast of California, approximately halfway between San Diego and San Francisco (Figure 1-1). The Base covers 99,099 acres in western Santa Barbara County (USAF 2004) and occurs in a transitional ecological region that includes the northern and southern distributional limits for many plant and animal species.


The area identified as meeting the objectives and requirements of the WR CT Site is approximately 270 feet wide, located approximately 250 feet (76 meters) west of 13th Street and up to 1,980 feet (603 meters) south of Watt Road, and is depicted in Figure 1-2.

1.2 Purpose and Need

The MFTGS is a Range Safety Critical System used to transmit radio carrier and frequency-modulated radio messages to launch vehicles that will cause the onboard receiver/decoders to activate flight termination functions in the event of an anomaly. As defined in the September 2002 edition of the 30 SW Range Safety Operations Requirement (RSOR), MFTGS primary support facilities must meet line-of-sight (LOS) requirements for active launch pads. Backup and primary support is required whenever a primary site is taken out of commission to undergo engineering improvements, modifications or repairs. At the present time, a single site that provides LOS coverage for all launch facilities on Vandenberg AFB does not exist. During a space vehicle launch, several sites must be activated to provide LOS coverage.

An MFTGS dock facility is needed for both backup and primary support for Space Launch Complex (SLC)-3 and SLC-6 in support of the Evolved Expendable Launch Vehicle (EELV) program. At the present time, the only site that provides LOS coverage for SLC-3 (Atlas V) is CT-1, while CT-3 is the only site that provides LOS coverage for SLC-6 (Delta IV). Backup and primary support facilities for SLC-3 and SLC-6 are not available. Without this backup capability to support CT-1 or CT-3 LOS coverage requirements, launches would be delayed in the event of a required repair, replacement, modification or improvement of CT-1 and/or CT-3. In addition, CT-3 is within the hazard zone for southern orbital launches and must be evacuated during these launches.





Construction of a new WR CT Site would afford the capability to provide LOS backup and primary support to all launch facilities at Vandenberg AFB (Figure 1-3). The proposed facility would support operation of the Mobile Command Transmitter System, also known as Vehicle Uplink System (VUS) Transportable.

1.3 Scope of the Environmental Assessment

Consistent with 32 Code of Federal Regulations (CFR) Part 989, and Council on Environmental Quality (CEQ) Regulations (40 CFR 1500-1508), the scope of analysis presented in this EA is defined by the potential range of environmental impacts resulting from the implementation of the Proposed Action and Alternatives. Pursuant to 40 CFR Part 1501.4(c), resources potentially impacted are considered in more detail in order to provide sufficient evidence and analysis to determine whether or not to prepare an environmental impact statement.

This EA identifies, describes and evaluates the potential environmental impacts that could result from the Proposed Action, the No-Action Alternative, and other viable alternatives, as well as possible cumulative impacts from other past, present and planned actions on Vandenberg AFB. In addition, the EA identifies environmental permits relevant to the Proposed Action. As appropriate, the EA describes, in terms of a regional overview or a site-specific description, the affected environment and environmental consequences of the action. Finally, the EA identifies measures to prevent or minimize environmental impacts.

The resources identified for analysis in this EA include: biological resources; cultural resources; air quality; earth resources; hazardous materials and waste management; human health and safety; land use and aesthetics; utilities; and water resources.

The following resources were considered but not analyzed in this EA:

Environmental Justice. The Proposed Action would occur within Vandenberg AFB boundaries. Thus, the project would not adversely affect low-income or minority populations within the region.

Socioeconomics. The construction aspect of the Proposed Action would be of limited duration (approximately 10 months) and would not be considered a major project. During the operational phase of the project, DoD personnel would be performing the work at the new facility. Therefore, socioeconomic conditions in the area would not be affected.

Transportation. The Proposed Action would not result in an inordinate increase in traffic, either during construction activities or during the operational phase of the facility. Therefore, transportation within the area or region would not be affected.

A list of acronyms and abbreviations used in this EA is included after the Table of Contents.

1.4 Applicable Regulatory Requirements

Federal and state laws applicable to the Proposed Action and alternatives are summarized in Table 1-1 and further described in Chapters 3 and 4. Regulatory requirements are applicable for six categories: air quality, water resources, coastal resources, hazardous waste, biological resources, and cultural resources.

The Santa Barbara County Air Pollution Control District (SBCAPCD) is proposing rule changes that take effect in 2005. These rules will affect the air quality operations requirements of this project. The SBCAPCD rules are specifically designed for controlling air pollution and to protect public health. The California Health and Safety Code gives the SBCAPCD primary responsibility including the authority to develop, adopt, and enforce rules.




Table 1-1.
Federal and State laws applicable to the implementation of the Proposed Action.

Federal Law	Activity or Requirement
American Indian Religious Freedom Act (AIRFA) of 1978 (42 USC 1996)	The AIRFA states that the policies and procedures of Federal agencies must comply with the constitutional injunction prohibiting abridgment of religious freedom—including freedom of belief, expression, and exercise—for Native Americans. The statute ensures Native American access to sites, use and possession of sacred objects, and freedom to worship, and directs federal agencies to revise policies and procedures to correct conflicts with Native American religious cultural rights and practices.
Archaeological and Historic Preservation Act (AHPA) of 1974 (16 USC 469a et seq.)	The AHPA is directed toward the preservation of historic and archaeological data that would otherwise be lost as a result of federal construction or other federally licensed or assisted activities. The AHPA authorizes the Department of the Interior to undertake recovery, protection, and preservation of archaeological or historic data.
Archaeological Resources Protection Act (ARPA) of 1979 (USC 470aa-mm), Supplemental Regulations of 1984	The ARPA secures protection of archaeological resources and sites on public and Indian lands; requires permitting for any excavation or collection of archaeological material from these lands; provides civil and criminal penalties for violations.
Clean Air Act (CAA) of 1970 (42 USC 7401 et seq.)	States that applicable state and national ambient air quality standards must be maintained during the operation of any emission source. National Ambient Air Quality Standards include primary and secondary standards for various pollutants. The primary standards are mandated by the CAA to protect public health, while the secondary standards are intended to protect the public welfare from adverse impacts of pollution, such as visibility impairment.
Clean Air Act Amendments of 1990	Establish new federal non-attainment classifications, new emissions control requirements, and new compliance dates for areas in non-attainment. The requirements and compliance dates are based on the non-attainment classification.
Clean Water Act (CWA) of 1977 as amended (33 USC 1251 et seq.)	Prohibits the discharge of pollutants from a point source into navigable Waters of the United States, except in compliance with a National Pollutant Discharge Elimination System (NPDES) (40 CFR Part 122) permit. The navigable Waters of the United States are considered to encompass any body of water whose use, degradation, or destruction will affect interstate or foreign commerce. Section 404 of the Clean Water Act establishes a program to regulate the discharge of dredged and fill material into waters of the United States, including wetlands. Activities in waters of the United States that are regulated under this program include fills for development, water resource projects (such as dams and levees), infrastructure development (such as highways and airports), and conversion of wetlands to uplands for farming and forestry. Section 401 of the CWA requires that the discharge of dredged or fill material into water of the United States does not violate state water quality standards. Generally, no CWA Sec. 404 permits will be issued until the State has been notified and the applicant has obtained a certification of state water quality standards.
Coastal Zone Management Act (CZMA) of 1972 (16 USC 2452-24645).	The CZMA plays a significant role in water quality management. Under the CZMA, a Federal action that may affect the coastal zone must be carried out in a manner that is consistent with state coastal zone management programs.

Table 1-1.
Federal and State laws applicable to the implementation of the Proposed Action.

Federal Law	Activity or Requirement
Endangered Species Act (ESA) of 1973 (7 USC 136; 16 USC 460 et seq.)	Declares the intention of Congress to conserve threatened and endangered species and the ecosystems on which these species depend. The ESA requires that federal agencies, in consultation with the U.S. Fish and Wildlife Service (USFWS) and the National Oceanic and Atmospheric Administration Fisheries Service (NOAA Fisheries), use their authorities in furtherance of its purposes by carrying out programs for the conservation of endangered or threatened species.
Section 7 of the ESA (16 USC 1536)	Contains provisions that require federal agencies to consult with the Secretary of Interior and to take necessary actions to insure that actions authorized, funded, or carried out by them do not jeopardize the continued existence of endangered species and threatened species.
Energy Policy Act of 1992 as amended (42 USC 8256 et seq.)	The Act requires that Federal agencies significantly reduce their use of energy and reduce environmental impacts by promoting the use of energy-efficient and renewable energy technologies.
Migratory Bird Treaty Act (MBTA) of 1918 as amended (16 USC 703-712)	The MBTA implements various treaties and conventions between the U.S. and Canada, Japan, Mexico and the former Soviet Union for the protection of migratory birds. Under the Act, taking, killing or possessing migratory birds is unlawful.
National Environmental Policy Act (NEPA) of 1969 as amended (42 U.S. Code [USC] 4321-4347)	Requires federal agencies to analyze the potential environmental impacts of major federal actions and alternatives and to use these analyses as a decision-making tool on whether and how to proceed.
National Historic Preservation Act (NHPA) of 1966 as amended (16 USC 470 et seq.)	The NHPA is the key federal law establishing the foundation and framework for historic preservation in the United States. The Act authorizes the Secretary of the Interior to expand and maintain a National Register of Historic Places (NRHP); it establishes an Advisory Council on Historic Preservation (Council) as an independent federal entity; it requires federal agencies to take into account the effects of their undertakings on historic properties, and to afford the Council an opportunity to comment upon any undertaking that may affect properties listed, or eligible for listing, in the NRHP; and it makes the heads of all federal agencies responsible for the preservation of historic properties owned or controlled by them.
Native American Graves Protection and Repatriation Act (NAGPRA) of 1990 (25 USC 3001-3013)	The NAGPRA restores certain rights to Native Americans with respect to the disposition of ancestral human remains and cultural objects; vests ownership of these materials (from federal or tribal lands) with designated Native American groups; requires notification of federal agency head when Native American cultural items are discovered on federal or tribal lands; prohibits trafficking in Native American human remains and cultural items; requires inventory and tribal notification of human remains and associated funerary objects held in existing collections by museums or federal agencies; provides for repatriation of these materials.

Table 1-1.
Federal and State laws applicable to the implementation of the Proposed Action.

Federal Law	Activity or Requirement
Noise Control Act (NCA) of 1972 (42 USC 4901 et seq.)	<p>This Act establishes a national policy to promote an environment for all Americans free from noise that jeopardizes their health and welfare. To accomplish this, the Act establishes a means for the coordination of Federal research and activities in noise control, authorizes the establishment of Federal noise emissions standards for products distributed in commerce, and provides information to the public respecting the noise emission and noise reduction characteristics of such products.</p> <p>The Act authorizes and directs that Federal agencies, to the fullest extent consistent with their authority under Federal laws administered by them, carry out the programs within their control in such a manner as to further the policy declared in 42 U.S.C. 4901. Each department, agency, or instrumentality of the executive, legislative and judicial branches of the Federal Government having jurisdiction over any property or facility or engaged in any activity resulting, or which may result in, the emission of noise shall comply with Federal, State, interstate, and local requirements respecting control and abatement of environmental noise.</p>
Pollution Prevention Act (PPA) of 1990	<p>This Act establishes that pollution should be prevented or reduced at the source whenever feasible; pollution that cannot be prevented should be recycled in an environmentally safe manner, whenever feasible; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner whenever feasible; and that disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner.</p>
Resource Conservation and Recovery Act (RCRA) of 1976 (42 USC 6901 et seq.)	<p>This Act gives the Environmental Protection Agency the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous wastes.</p>
State Law	Activity or Requirement
California Coastal Act (CCA) of 1976	<p>This Act provides long-term protection of California's 1,100-mile coastline for the benefit of current and future generations. Coastal Act policies constitute the standards used by the Coastal Commission in its coastal development permit decisions and for the review of local coastal programs prepared by local governments and submitted to the Commission for approval. These policies are also used by the Commission to review federal activities that affect the coastal zone.</p>
Clean Air Act of 1988	<p>This Act develops and implements a program to attain the California Ambient Air Quality Standards for ozone, carbon monoxide, nitrogen dioxide, sulfur dioxide, particulate matter less than or equal to 10 microns in diameter, lead, sulfates, hydrogen sulfide, and vinyl chloride.</p> <p>40 CFR Part 51 gives state and local agencies the authority to establish air quality rules and regulations. Rules adopted by the local air pollution control districts and accepted by the Air Resources Board are included in the State Implementation Plan. When approved by the U.S. EPA, these rules become federally enforceable.</p>
Porter-Cologne Water Quality Control Act	<p>Protects all waters of the state for the use and enjoyment of the people of California and declares that the protection of water resources be administered by the regional water quality control boards.</p>

Chapter 2. Description of the Proposed Action and Alternatives

This chapter describes the Proposed Action (Alternative A), the No-Action Alternative (Alternative B), and other identified Alternatives (Alternatives C through F). The chapter includes detailed descriptions of equipment needs, construction requirements, and operational parameters for the Proposed Action and any Alternatives identified as feasible.

The descriptions provided in this chapter are based on information provided by the Space and Missile Systems Center (SMC) Satellite and Launch Control Systems Program Office, Western Range (RNV).

The objective of the proposed project is to construct a docking facility for two command transmitters (VUS Transportable units) that would provide LOS coverage to all launch facilities within Vandenberg AFB.

There are two aspects to the proposed project: 1) The construction of a new WR CT Site with all facilities and components to serve as a primary support docking site for the VUS Transportable units; and 2) the location of the new site.

Construction of the new WR CT Site would entail:

- Grading and paving of access roads, parking areas, and docking pads.
- Installation of two VUS Transportable units.
- Installation of four VUS omni-antenna masts and four VUS directional antennas.
- Installation of a portable office/ maintenance building.
- Installation of a subsurface pipeline for water supply.

- Installation of facility electrical power supply.
- Installation of two portable buildings that will each house electrical switchgear, a stand-by-generator and aboveground fuel tank.
- Installation of a septic waste system.
- Installation of communications system and lines.

The WR CT Site would incorporate all the same components, regardless of the location where the site would be located.

Site selection criteria to evaluate the Proposed Action and viable Alternatives included:

- The location must provide optical LOS to all launch facilities on Vandenberg AFB.
- Water supply, electrical power and communications lines must be available within a reasonable distance so that these utilities can be provided to the site.
- The location must be outside of launch hazard zones to avoid the need for evacuation during launch events.
- The location must be outside of explosives safety zones.
- The location must take into consideration personnel safety in terms of radio frequency (RF) radiation hazards.
- The location must be outside of any air space restriction zones.
- The location must be in an area with minimal environmental constraints that would preclude the establishment of the facility.

2.1 Alternative A: Proposed Action

The site selected under the Proposed Action is approximately 240 feet by 270 feet, located 250 feet west of 13th Street and 1,740 feet south of Watt Road (Figure 2-1). The location for the WR CT Site under the Proposed Action would meet all site selection criteria described above. In addition, this location would reduce the length of the fiber optic cable and would be outside the caution hazard corridor of future Booster Verification launches from the ABRES facility, northeast of Watt Road.

Construction of the WR CT Site under the Proposed Action would affect approximately three acres. Although the entire area would not be developed, for purposes of potential effects to resources in this analysis, the project area is considered to include the three acres where the site would be constructed and a perimeter of approximately 200 feet on all sides, a 240-foot corridor along the overhead power line route, and a 260-foot corridor along the fiber optic lines route (Figure 2-2). Figure 2-3 illustrates the general layout of the proposed WR CT Site.

Construction activities are expected to commence in spring of 2005 and last approximately 10 months, with 8-hour workdays and 5-day workweeks (Table 2-1). Approximately six construction personnel would be required for each activity. However, during the installation of asphalt and concrete foundations, antenna towers and wiring, up to 20 construction personnel may be present at the site.

Table 2-2 provides the estimated types and numbers of construction equipment that would be used for this construction project. Although the exact type of equipment that would be used may vary slightly from these projections, these estimates provide a sound engineering basis for analyzing related issues, such as air quality.

Staging areas for construction equipment and supplies would be established within the project area depicted in Figure 2-2. Whenever possible, construction equipment would be staged on pavement near the site and within the area of disturbance for the project.


Prior to commencement of construction, the construction contractor would identify the proposed staging areas and obtain concurrence from the Environmental Flight Natural Resources Section (30 CES/CEVPN) for the use of the selected sites.


Table 2-1.
Construction times for the proposed WR CT Site.


Activity	Time
Vegetation removal, trenching, excavation and grading	2 months
Installation of fiber-optic lines, power, water and septic waste system	3 months
Installation of asphalt and concrete foundations, antenna towers, and wiring	3 months
Installation of omni-antennas, directional antennas and VUS Transportable units	2 months

Table 2-2
Equipment use during construction of the proposed WR CT Site.

Equipment Description	Number	Anticipated Use (% of 10 months)
Delivery truck	1	80%
Trencher	1	15%
Backhoe	1	50%
Dozer	2	50%
Crane	1	50%
Compactor	1	50%
Dump truck	2	30%
Water truck	1	50%
Concrete truck	4	10%
Generator	1	5%
Boring Jack Unit	1	5%
Asphalt compactor	1	10%
Paver Cat	1	10%
Street Sweeper	1	80%
Light pick-up truck	2	100%
Miscellaneous delivery trucks	2	30%







During the operational phase of the project, one to two personnel would man the facility eight hours per day, five days per week, 52 weeks per year. An additional two to four personnel would be present at the facility during launches for approximately eight hours. At the present time, approximately 18 launches per year are planned.

2.1.1 Access Roads, Parking Areas, and Concrete Pads

An asphalt access road 250 feet long by 20 feet wide would connect 13th Street to a paved area where the Office/Maintenance building, parking area, docking pads for VUS Transportable units, and other support equipment would be constructed or installed. This asphalt-paved area would be approximately 30,000 square feet (ft²; 240 feet x 125 feet).

A second asphalt-paved area would be constructed approximately 66 feet west of the main facility area described above, for installation of the four VUS directional antennas. This second paved area would be approximately 18,000 ft² (240 feet x 75 feet).

In addition, concrete pads would be installed to support the VUS Transportable units, the four VUS omni-antennas, the office building, and the two generator buildings.

All vegetation within the area that would be paved with asphalt or concrete would be removed. Subsequent to the removal of vegetation, the area would be graded. All excess soils generated from excavation, trenching and grading activities would be distributed and compacted throughout the construction site.

Figure 2-3 depicts the locations of these asphalt and concrete areas within the proposed WR CT Site. Table 2-3 lists the estimated amounts of asphalt and concrete (in cubic yards [yd³]) that would be used for each of the areas described.

2.1.2 Office/Maintenance Building

A portable (mobile) office/maintenance building with composite roof material would be installed on the main paved area, near the access road from 13th Street (Figure 2-3). This portable building would be approximately 720 ft² (40 feet x 18 feet) and would be placed on a concrete pad (Table 2-3). Water, electricity, telephone, sewer connections and fiber optic communication lines would be provided to this building (see details below). This building may be replaced with a modular structure within five or six years. During operations, the office would be occupied by up to six personnel.

Table 2-3.

Volumes of asphalt and concrete that would be used for the access roads and pads.

Description	Dimensions (ft)	Material	Volume (yd ³)
Access road	250 x 20	Asphalt	100
Office complex and parking	240 x 125	Asphalt	15,000
VUS directional antenna pad	240 x 75	Asphalt	9,000
Total Asphalt			24,100
VUS pads (2)	53 x 15	Concrete	3,600
VUS omni-antenna pads (2)	8 x 8	Concrete	5,000
Office building	40 x 18	Concrete	250
Generator buildings (2)	40 x 18	Concrete	250
Total Concrete			9,100

2.1.3 VUS Transportable Units, Omni-antennas and Directional Antennas

As described above, a concrete pad would be installed to the west of the main facility area where the two VUS Transportable units would be docked either permanently or temporarily (Figure 2-3). Each VUS Transportable unit would measure 53 feet by 15 feet and would be constructed of steel.

VUS Transportable units contain antenna command controls, and are equipped with two 30-minute back-up, maintenance free batteries. Batteries would be replaced every five years. Used batteries would be disposed of through the Vandenberg AFB Disposal/Recycle program. Figure 2-4 shows the appearance of the VUS Transportable units. The VUS Transportable units would be transported to the WR CT Site on a flatbed truck and installed in place with use of a crane.

Each VUS Transportable unit would incorporate two omni-antennas placed in close proximity to each of the units (10 to 15 feet), and two directional antennas sited approximately 125 feet southwest of each unit. Each antenna would be installed on a concrete pad measuring approximately eight feet by eight feet. The omni-antenna masts would be approximately 100 feet high. Guy wires would be required to stabilize these antennas. Appropriate daytime visual markers on the wires to prevent collisions by avian species would be incorporated following the guidelines and recommendations published by the U.S. Fish and Wildlife Service (USFWS) in September 2000 and accessible through the World Wide Web at <http://migratorybirds.fws.gov/issues/towers/commtow.html>. In addition, if night warning lights

are required for the omni-antennas, white strobe lights would be incorporated rather than solid red or pulsating red warning lights. Current research indicates that solid or pulsating (beacon) red lights attract night-migrating birds at a much higher rate than white strobe lights (USFWS 2000).

Each of the VUS directional antennas would be placed on an 8-foot high ring wall, have a diameter of approximately 28 feet and total height, including the ring wall of 31 feet. VUS directional antennas would be placed 75 feet apart from each other as depicted in Figure 2-3. Figure 2-5 is an elevation depiction of the omni-antennas and the VUS directional antennas.

Connections between the VUS Transportable units, the omni-antennas, and the directional antennas, would be underground. Connections with the omni-antennas would be either trenched or drive-over protected. Connections between the VUS Transportable units and the directional antennas would be placed in concrete lined trenches with diamond plate coverings. During launches, two operators would be present in each of the VUS Transportable units.




Figure 2-4. VUS Transportable unit.




Figure 2-5. Elevation detail of antennas for proposed WR CT Site.

2.1.4 Water Supply

Water would be provided to the site for the Office/Maintenance building via a subsurface 320-foot pipeline installed parallel and to the north of the new access road, and originating at an existing pipeline that runs along the northeast side of 13th Street (Figure 2-3). A backflow prevention assembly would be installed for the 8-inch water main at the 13th Street connection to protect the water supply from contamination due to back siphoning.

The waterline construction process would consist of installing an 8-inch diameter pipeline underground using primarily open trenching technology, with directional boring used underneath 13th Street.

Trenching would involve linearly excavating soil to an approximate width of three feet and an approximate depth of three feet. Temporarily displaced soil would be stockpiled immediately adjacent to the trench. The bottom of the trench would be backfilled with weed-free granular materials. After the pipeline is placed into the trench, the remaining portion of the trench would be backfilled and compacted with the stockpiled soil.

The width of the construction corridor for installation of the water pipeline would be

approximately 30 feet. All excess soil generated from the trenching activities would be used as backfill and/or distributed and compacted within the construction site.

Directional boring would involve drilling a pilot borehole into the ground, and continuing the borehole underground until it reaches the designated end point, wherein the borehole would terminate at the ground surface. A surface-operated drilling device is then angled into the ground from the surface at the pilot hole and directed to its destination using a radio-controlled mole containing a cutter head. Personnel operating the mole control the depth and direction of excavation. The borehole would extend to a depth of approximately five feet below grade. A truck-mounted generator would be used to power the equipment at the drill site.

During the typical boring process, bentonite slurry is pumped through the borehole to lubricate the drill bit, carry drill cuttings to the surface, and prevent the bore tunnel from collapsing. Material safety data information on bentonite is provided in Appendix A. The slurry is typically stored in tanks at the drill site when not in use. After the bore is completed, any excess slurry remaining is removed from the site and either reused by the drilling contractor or disposed of at an appropriate facility.

Although highly unlikely, drilling slurry can escape the borehole through fissures or cracks in the soil and then reach the ground surface. Erosion control and containment measures included in the Storm Water Pollution Prevention Plan (SWPPP) and Environmental Protection Plan (EPP) would be implemented, as specified in these plans.

2.1.5 Electrical Power Supply

Five hundred Kilovolts-Ampere (KVA) of electricity would be supplied to the new WR CT Site. Electrical power would originate at an existing power line (P7-12KV) that runs southwest, west of 13th Street. This line connects directly with an abandoned-in-place line (B1-12KV) that runs parallel to and west of 13th Street.

A new line would be connected to P7-12KV at the point where it drops down to connect to B1-12KV west of 13th Street. The new line would then be extended south on the abandoned-in-place B1-12KV line to the proposed WR CT Site. Existing power poles would be maintained and used to extend the power line to the north and south sides of the proposed site, thus eliminating the need to erect new power poles.

The new line would be dropped underground at two poles closest to the northern and southern sides of the proposed site, and run underground for approximately 75-100 feet at a depth of four feet to the two proposed power switchgear and generator buildings (Figure 2-6). From here, power lines would be run underground to each of the two VUS docking stations and each of the four VUS directional antennas. Power to the Office/Maintenance building would be provided through an underground line from the switchgear box at the northeast corner of the building (Figure 2-6).

Trenching would involve linearly excavating soil to an approximate width of three feet and an approximate depth of four feet. Temporarily displaced soil would be stockpiled immediately adjacent to the trench. The bottom of the trench would be backfilled

with weed-free granular materials. After the power line is placed into the trench, the remaining portion of the trench would be backfilled and compacted with the stockpiled soil.

The width of the construction corridor for installation of the power lines would be approximately 30 feet. All excess soil generated from the trenching activities would be used as backfill and/or distributed and compacted within the construction site.

2.1.6 Generators and Fuel Storage Tanks

Two 750 Kilowatts (Kw) diesel generators would be installed at the proposed WR CT Site to serve as stand-by power supply. The generators would be placed at the northeast and southeast corners of the proposed site within two mobile buildings (40 feet x 18 feet), adjacent to the electrical switchgear boxes (see Figure 2-3). The generators would be operated for approximately two hours every month for maintenance purposes, and would be used as required during power outages. Usage would not exceed 200 hours per year.

Fuel storage for the generators would be within the same mobile buildings in two 1,320-gallon capacity above ground tanks (one for each generator). Structural concrete containment and manual open/close valves would be incorporated into the design to manage storm water discharges (to grade) associated with each of the fuel tanks. Storm water discharges from fuel tank areas will require coordination with 30 CES/CEV and completion of Discharge to Grade Request Forms. The proponent would prepare a Spill Prevention and Countermeasures Plan. In addition, the proponent would provide the necessary information to add these aboveground tanks to the Vandenberg AFB Aboveground Storage Tank (AST) Inventory, and develop a Hazmat Business Plan.




Figure 2-6.
Electrical power supply to proposed WR CT Site under the Proposed Action.

The SBCAPCD is proposing rule changes that take effect in 2005. These rules will impact the air quality operations requirements of this project in terms of type of operations and operational hour constraint requirements. These new rules may include potential new permits and source reviews for both internal combustion engines and generators. The Satellite and Launch Control Systems Program Office, Western Range, as the proponent, should contact 30 CES/CEV, Environmental Management Office to ensure compliance of their operations with these new proposed rules.

Both mobile buildings may be replaced with modular structures within five or six years.

2.1.7 Septic Waste System

A septic waste system would be installed to service the office/maintenance building (Figure 2-3). The system would be installed to the north of this building and would consist of a 1,000-gallon capacity underground septic tank.

Installation of the septic system would entail the excavation of an area approximately eight feet long, eight feet wide and eight feet deep for placement of the septic tank, and three trenches approximately 18 inches wide and three feet deep for placement of the two 50-foot leach field pipelines.

Trenching would involve linearly excavating soil to an approximate width of 18 inches and an approximate depth of three feet. Temporarily displaced soil would be stockpiled immediately adjacent to the trench. The bottom of the trench would be backfilled with weed-free granular materials. After the leach line is placed into the trench, the remaining portion of the trench would be backfilled and compacted with the stockpiled soil.


All excess soil generated from the excavation and trenching activities would be used as backfill and/or distributed and compacted within the construction site.

2.1.8 Communications

Two subsurface fiber optic cables would be installed to provide communications lines for the proposed WR CT Site. The fiber optic cables would originate at Building 1762 on 13th Street (Figure 2-7), approximately 3,600 feet south of the Proposed Action site. The cables would be installed in parallel conduits along the western road shoulder of 13th Street from Building 1762 to the south side of the new access road. At this point the route would proceed parallel to and south of the new access road, along the road shoulder, extend to a communications structure (approximately 10 feet wide by 15 feet long and 4 feet high) to be installed on the southeast side of the new WR CT Site and to various other structures and buildings throughout the facility (Figure 2-7).

A redundancy requirement specifies duplicate fiber optic cable lines must be installed with a six-foot separation so as to provide immediate, back-up service in the event the main lines are damaged. Each of the two lines would have a total length of approximately 3,900 feet. The width of the construction corridor for placement of the fiber optic lines would be approximately 25 feet. Due to potential preexisting subsurface utilities along 13th Street, the lines may need to be placed some distance from the immediate road shoulder, not to exceed 60 feet.

The conduit and lines would be installed by trenching, which involves linearly excavating soil to an approximate width of 18 inches and an approximate depth of three feet. Temporarily displaced soil would be stockpiled immediately adjacent to the trench. Once the trench is excavated, the conduit is laid down into the trench by hand. A skip loader would follow to replace the excavated soil. During the backfill process, a size 12 American Wire Gauge (AWG) would be placed inside one of the conduits (uppermost preferred) as a tracer wire. All excess soil generated from the trenching activities would be used as backfill and/or distributed and compacted within the construction site.



2.1.9 Construction Constraints and Monitoring Measures

Potential adverse impacts to resources would be avoided or minimized during construction activities associated with the Proposed Action through implementation of the project constraints and monitoring measures outlined below.

2.1.9.1 Biological Resources

1. A qualified biologist would conduct pre-construction surveys immediately prior to the start of any activities within the APE to identify special status plant species (i.e., Gaviota tarplant, Kellogg's horkelia) needing protective measures. Special status plant species identified within the APE would be isolated and protected from disturbance. During site grading and removal of vegetation, a qualified biologist would conduct daily pre-construction surveys to relocate any reptile, amphibian or mammalian species that are in the path of construction vehicles to suitable habitat adjacent to but outside the construction limits.
2. If feasible, clearing of vegetation within the area of direct disturbance would occur during the non-breeding season (September through February) to avoid adverse impacts on breeding avian species. In the event clearing of vegetation within the area of direct disturbance occurs during the breeding season (March through August), surveys would be conducted for breeding avian species immediately prior to the beginning of vegetation clearing. If any nests are found within the area of direct disturbance, no clearing of vegetation would occur until the eggs are hatched and the young fledged. If nests were found near to but outside the direct disturbance area, they would be monitored for potential disturbance resulting from noise.
3. Pre-construction surveys would be conducted immediately preceding

construction activities (regardless of the time of year) to document whether Western burrowing owls are present at the site. If non-nesting burrowing owls are present, they would be located, flushed from burrows and a qualified biologist would close the burrows to avoid risk of owl injury or burial during construction.

4. If new power poles are required to be installed, measures for raptor-safe power pole and power line construction would be incorporated into the design to prevent risk of electrocution to large raptors.
5. If warning lights for omniantennas are required, white strobe lights will be used. The use of solid or pulsating (beacon) red lights will be avoided to minimize potential for night-migrating birds and bat collisions.
6. Any guy wires incorporated in the antenna installation will include daytime visual markers to prevent collisions with diurnally moving avian species.

2.1.9.2 Cultural Resources

In the event that previously undocumented cultural resources are discovered during construction activities, guidelines set forth in the Vandenberg AFB Integrated Cultural Resources Management Plan will be followed.

2.1.9.3 Air Quality

1. Water will be applied, preferably reclaimed, at least twice daily to dirt roads, graded areas, and exposed dirt stockpiles to prevent excessive dust at the staging areas. Chlorinated water would not be allowed to run into any waterway.
2. Vehicle speeds will be minimized on exposed earth.
3. After completion of construction activities, watering, revegetating, or spreading soil binders to prevent wind erosion of the soil will treat disturbed soil.
4. Ground disturbance will be limited to the smallest, practical area and to the least amount of time.

5. Personnel will be designated to monitor construction to ensure that excessive dust is not generated at construction sites.
6. The contractor will implement practices to reduce engine run and idle times.

2.1.9.4 Water Resources

1. The contractor will submit a Notice of Intent (NOI) to the Regional Water Quality Control Board (RWQCB), to comply with the state National Pollutant Discharge Elimination System (NPDES) General Permit,.
2. A SWPPP developed by the construction contractor and approved by 30 CES/CEV will be implemented. This plan will include preventative maintenance measures for construction equipment, spill prevention and response measures, sediment and soil erosion control measures, and identify measures for management of runoff.

2.1.9.5 Earth Resources

The SWPPP will include Best Management Practices for sediment and erosion control.

2.1.9.6 Hazardous Materials and Waste Management

1. Standard procedures ensuring that all equipment is maintained properly and free of leaks during operation, and all necessary repairs are carried out with proper spill containment, will minimize the risk of accidental spillage.
2. Hazardous materials will be procured through or approved for use by Vandenberg AFB Hazmart to minimize waste. Monthly usage of hazardous materials would be reported to Hazmart to meet state and federal reporting requirements.
3. Hazardous materials will be properly stored and managed in secured areas. Chemical stockpile spill containment, if necessary, will be accomplished to minimize or preclude hazardous releases.

4. The contractor would be responsible for the disposal and/or recycling of all waste generated during the scope of the construction project.

2.1.9.7 Human Health and Safety

Adherence to Federal Occupation Safety and Health Act (OSHA) and Air Force Occupational Safety and Health (AFOSH) regulations would minimize the exposure of workers to health and safety hazards.

2.1.9.8 Environmental Protection Plan

Unless otherwise directed by the Contracting Officer, the primary contractor would be responsible for developing an EPP. The EPP would be submitted to 30 CES/CEV for approval. The EPP explains the methods and procedures used by the contractor to comply with all of the environmental requirements.

2.2 Alternative B: No-Action Alternative

Under the No-Action Alternative, a new WR CT Site would not be constructed. Thus, no adverse environmental impacts associated with construction activities would result.

Under this Alternative, CT-1 would continue to provide support to SLC-3, while CT-3 would continue to provide primary support to SLC-6.

Implementation of the No-Action Alternative would preclude meeting LOS backup and primary-support requirements for EELV program launch facilities at Vandenberg AFB. A decision to not construct the new WR CT Site could result in the EELV program missing critical program objectives.

2.3 Alternative C: New WR CT Site West of 13th Street

The site selected under Alternative C would be the same size as the Proposed Action but located 1,500 feet south of Watt

Road (Figure 2-8). The location for the WR CT Site under Alternative C would meet all site selection criteria described at the beginning of this Chapter. However, this location would result in a longer fiber optic cable route and would be within the caution hazard corridor of future Booster Verification launches from the ABRES facility, northeast of Watt Road.

Construction of the WR CT Site under Alternative C would entail the same construction requirements as the Proposed Action and would incorporate the same components as described under the Proposed Action in Section 2.1. All construction constraints and monitoring methods, as described under the Proposed Action (Section 2.9.1), would also apply under Alternative C. The project area considered for analyses in this EA would be the same as that described under the Proposed Action with the exception that the site itself and the disturbance area would be shifted north by 240 feet.

As indicated above, the fiber optic cable line would be longer under Alternative C. The fiber optic line under this Alternative would be 240 feet longer than under the Proposed Action, totaling a distance of approximately 3,840 feet (Figure 2-8). Installation and construction requirements would remain the same as with the Proposed Action.

Operations under Alternative C would be the same as those described under the Proposed Action.

2.4 Alternatives Eliminated from Further Consideration

The alternatives discussed in this section were considered but eliminated from further analyses for the reasons provided below.

2.4.1 Alternative D: New WR CT Site at Building 1836 Site


Under this Alternative, construction of the WR CT Site would entail all of the components described under the Proposed Action except that the facility would be located approximately 950 feet north of Tod Road and 2,400 feet north of Umbra Road (Figure 2-9).

Consideration was given to this site because the location provides LOS coverage to all launch facilities on Vandenberg AFB, and its proximity to existing fiber optic, electrical power, and water lines.

The Alternative D site is an out of commission, abandoned-in-place facility previously used to launch Atlas spacecraft vehicles. Building 1836 is contained within a controlled area that is currently used to stage Peacekeeper boosters. With the Peacekeeper program anticipated to end sometime in 2006, the assumption was made that the area would become available for alternative uses, i.e., the WR CT Site. During the process of assessing this site, it became apparent that although the Peacekeeper program would end in the near future, other programs would continue to use the Peacekeeper booster, requiring the use of this facility. In addition, a Peacekeeper solid fuel storage facility is located nearby, the area is within a test pad (TP-01) caution zone, and the location of this site is within a designated Explosive Safety Zone. For these reasons, Alternative D was eliminated from further analysis in this process.

2.4.2 Alternative E: New WR CT Site at Building 1680 Site

Under this Alternative, construction of the WR CT Site would entail all of the components described under the Proposed Action except that the facility would be located on the east side of Alto Road, approximately 1,100 feet north of the intersection at Aero Road (Figure 2-9). This






Figure 2-9.
Location of sites for Alternatives D, E,
and F.

site is an out of commission facility abandoned for a number of years.

Selection of this site would meet the LOS coverage criteria for all launch facilities. In addition, this site is within a reasonable distance to existing water supply, electrical power and communications lines.

However, this site is located within the launch hazard zone for SLC-2. In addition, RF radiation hazards and the height of the omni-antennas would interfere with airfield equipment and clearance requirements. Thus, this site was determined to be undesirable for further analysis.

2.4.3 Alternative F: New WR CT Site at Cross Road

Under this Alternative, construction of the WR CT Site would entail all of the components described under the Proposed Action except that the facility would be located approximately 3,600 feet southwest of the Proposed Action site, 1,250 feet north of Cross Road and 2,700 feet south of Watt Road (Figure 2-9).

This site is located in an undeveloped area and would meet all listed criteria for selection of the location, with the exception that the location is within close proximity to the airfield, resulting in interference with airfield clearance requirements. In addition, an archeological site is recognized within this area, which could be adversely affected during construction and result in significant adverse impacts if disturbed. For these reasons, Alternative F was eliminated from further analysis in this process.

2.5 Comparison of Alternatives

A summary of the potential environmental impacts associated with implementation of the Proposed Action the No-Action Alternative, and Alternative C, is provided in Table 2-4. Each resource potentially affected by implementation of the Proposed Action and Alternatives is listed. Impacts to resources are discussed in Chapter 4 of this EA.

Table 2-4.
Comparison of alternatives by resource area.

Resource Area	Proposed Action	No-Action Alternative	Alternative C
Biological Resources	Direct disturbance of three acres with potential to affect up to 44 acres. Some construction activities have potential to result in short-term and long-term adverse impacts to biological resources (Section 4.1.1). However, these impacts are considered minor, and construction constraints and biological monitoring would ensure they are minimized or avoided (Section 2.1.9.1).	Construction would not occur. No impacts to biological resources would result.	Direct disturbance of three acres with potential to affect up to 41 acres. Potential adverse impacts would be of the same magnitude and effect as those of the Proposed Action (Sections 4.1.1, 4.1.3), requiring the same construction constraints and monitoring measures (Section 2.1.9.1).
Cultural Resources	No impacts to cultural resources are expected to result from construction activities. Activities would not occur near any existing cultural resources (Section 4.2.1). Construction constraints would ensure potential adverse impacts are avoided or minimized (Section 2.1.9.2).	Construction would not occur. No impacts to cultural resources would result.	Activities would not occur near any existing cultural resources (Section 4.2.3). No adverse impacts to known cultural resources would occur. The same guidelines as described under the Proposed Action would apply (Section 2.1.9.2).
Air Quality	Fugitive dust emissions generated from construction activities have the potential to result in adverse air quality impacts (See Section 4.3.1). Construction constraints would ensure potential adverse impacts are avoided or reduced to a less-than-significant level (Section 2.1.9.3).	Construction would not occur. No impacts to air quality would result.	Potential adverse impacts would be of the same magnitude and effect as those of the Proposed Action (Sections 4.3.1 and 4.3.3), requiring the same construction constraints and monitoring measures (Section 2.1.9.3).
Water Resources	No adverse impacts to water resources are expected to result. Construction activities would not occur near any surface waterways that could be affected as a result of erosion. A Notice of Intent to comply with the existing NPDES Permit would be required and a SWPPP would be implemented (Sections 4.4.1 and 2.1.9.4).	Construction would not occur. No impacts to water resources would result.	As with the Proposed Action, no adverse impacts would occur (Sections 4.4.1 and 4.4.3). The same construction constraints would be required (Section 2.1.9.4).
Earth Resources	No impacts to earth resources are expected to result from construction activities (Section 4.5.1). BMPs would be followed to minimize storm water runoff and erosion (Section 2.1.9.5).	Construction would not occur. No impacts to earth resources would result.	As with the Proposed Action, no adverse impacts would occur (Sections 4.5.1 and 4.5.3). The same construction constraints and measures would be required (Section 2.1.9.5).

Resource Area	Proposed Action	No-Action Alternative	Alternative C
Hazardous Materials and Waste Management	Materials and wastes generated would be managed consistent with applicable federal, state and regional regulations. No adverse impacts are expected (Sections 4.6.1 and 2.1.9.6).	Construction would not occur. No impacts from hazardous materials and hazardous waste would occur.	As with the Proposed Action, no adverse impacts would occur (Sections 4.6.1 and 4.6.3). The same construction constraints would apply (Section 2.1.9.6).
Land Use and Aesthetics	No conversion of prime agricultural land or a decrease in land utilization would occur. The aesthetic quality of the area would not be altered as a result of construction. No adverse impacts would occur. Vandenberg AFB will request concurrence with a Negative Determination from the California Coastal Commission (Section 4.7.1).	Construction would not occur. No impacts to land use and aesthetics would result.	As with the Proposed Action, no adverse impacts would occur (Section 4.7.1 and 4.7.3). Concurrence with a Negative Determination from the California Coastal Commission would be required.
Utilities	A negligible increase in electrical and water usage is expected as a result of construction and operation of the proposed WR CT Site. Wastewater generated during construction would be transported to the Lompoc Regional Wastewater Treatment Plant. Once construction is completed, wastewater will not be generated. No adverse impacts are anticipated (Section 4.8.1).	Construction would not occur. No impacts to utilities would result.	As with the Proposed Action, no adverse impacts would occur (Section 4.8.1 and 4.8.3).
Human Health and Safety	No adverse impacts are expected to occur with implementation of appropriate and established safety procedures (Sections 4.9.1 and 2.1.9.7).	Construction would not occur. No impacts to human health and safety would result.	As with the Proposed Action, no adverse impacts would occur (Section 4.9.1, 4.9.3, and 2.1.9.7).

Chapter 3. Affected Environment

This chapter describes the existing environment near and within the project area for the Proposed Action and Alternatives analyzed in this EA. The area considered for most resources was confined to the immediate area of the proposed WR CT Site. For some environmental resources, a wider regional area was used, as appropriate. Resources that would not be affected by the implementation of the Proposed Action and Alternatives are not discussed in detail in this chapter.

3.1 Biological Resources

Vandenberg AFB is located in northwestern Santa Barbara County, in a transitional, ecological region that includes the northern and southern distributional limits for many species and, as such, supports a high diversity of biological resources, including many state and federal special status species.

For purposes of evaluating the affected environment for the construction of the WR CT Site, an Area of Potential Effects (APE) was defined as the project area and a perimeter of approximately 200 feet on all sides, a 240-foot corridor along the overhead power line route, and a 260-foot corridor along the fiber optic lines route (Figure 3-1).

3.1.1 Methodology

The APE was surveyed and habitat types were identified based on plant communities. Detailed descriptions of habitat types are included in Section 3.1.2. Complete lists of plant and wildlife species documented within the survey area can be found in Appendix B.

A literature search, general biological survey, and special-status species survey were used to characterize the biological resources within the APE. Field surveys were conducted in September of 2004.

General wildlife surveys were conducted in conjunction with the plant surveys and habitat delineations. Wildlife surveys consisted of direct identification of species via visual and acoustical characteristics, and indirect identification via tracks and sign. Due to the nocturnal nature of many mammal species, identification of mammals relied heavily on tracks and signs such as scat.


Because avian species are highly mobile, avian species that were either seen or heard from the edge of the survey area were also recorded.

Potential occurrence of special status and sensitive species not detected during biological surveys was determined based on the presence of suitable habitat and/or known occurrence of the species. Sources used to determine potential occurrence include:

- California Natural Diversity Database (CNDDB; California Department of Fish and Game [CDFG] 1999, 2001, 2004a, 2004b).
- Existing local and regional references (Christopher 1996, 2002; Coulombe and Mahrtdt 1976; Holmgren and Collins 1999; Keil and Holland 1998; Lehman 1994).

3.1.2 Botanical Resources

The botanical surveys identified Central Coastal Scrub as the prevalent plant community within the survey area (Table 3-4). A ruderal community is present along the road shoulders.



Both plant communities are described in detail below. Where suitable, nomenclature follows Holland (1986). A complete list of plant species observed during the 2004 surveys is provided in Appendix B. Plant species nomenclature follows Hickman (1993).

Table 3-1.

Acreage of Central Coastal Scrub found within the APE for the WR CT Site project.

Project Area APE	Acreage
Proposed Action Area	44
Alternative C Area	41

Central Coastal Scrub

Coastal scrub is a diverse community that occupies a narrow corridor extending along almost the entire coast of California. Shallow-rooted, mesophyllic plant species that are often drought-deciduous and summer-dormant characterize this community. It ranges from the dry slopes and soils near the coast to the interior foothills (Holland 1986). It is present on approximately 25,000 acres, roughly 25 percent (%), of Vandenberg AFB (USAF 2003).

Common associates of this vegetation type include California sagebrush (*Artemisia californica*), black sage (*Salvia mellifera*), silver lupine (*Lupinus chamissonis*), coastal buckwheat (*Eriogonum parvifolium*), California broom (*Lotus scoparius*), and poison oak (*Toxicodendron diversilobum*). Two special status plant species, Kellogg's horkelia (*Horkelia cuneata* ssp. *sericea*), and black-flowered figwort (*Scrophularia atrata*), occur in this habitat type.

Central Coastal Scrub was present throughout the entire survey areas (Table 3-1). Past disturbances, including construction and maintenance, have resulted in the degradation of this community, allowing non-native grass species to become established. Due to its ability to

colonize/recolonize disturbed areas, coyote brush (*Baccharis pilularis*) is the overwhelmingly dominant scrub component. Throughout the survey area, shrubs are scattered or present in small clumps with various forbs and grasses growing in the intervening areas. Veldt grass (*Ehrharta calycina*) is the dominant herbaceous species.

Ruderal

Ruderal plant communities occur at roadsides, waste areas, and other sites continuously disturbed by activities such as traffic and mowing. Ruderal communities are dominated by annual, and usually non-native, forbs and grasses that can rapidly invade disturbed areas.

Common ruderal species include yellow star thistle (*Centaurea melitensis*), various non-native grasses (*Avena barbata*, *Ehrharta calycina*, and *Bromus* sp.) sour clover (*Melilotus indicus*), and cutleaf plantain (*Plantago coronopus*). Two special status plant species, Kellogg's horkelia, and Gaviota tarplant (*Deinandra increscens* ssp. *villosa*), occur in this habitat type.

Although not represented in Table 3-1, within the survey area this community occupies the one to three foot margin bordering the roadsides of 13th Street and Watt Road.

3.1.3 Wildlife Resources

Coastal scrub provides important foraging and breeding habitat for a variety of wildlife species including western fence lizard (*Sceloporus occidentalis*), southern alligator lizard (*Elgaria multicarinata*), gopher snake (*Pituophis catenifer*), western rattlesnake (*Crotalus viridis*), western toad (*Bufo boreas*), mule deer (*Odocoileus hemionus*), coyote (*Canis latrans*), American badger (*Taxidea taxus*), bobcat (*Lynx rufus*), brush rabbit (*Sylvilagus bachmani*), various mice of the genus *Peromyscus*, California quail (*Callipepla californica*), bushtit (*Psaltiriparus minimus*), wrentit (*Chamaea fasciata*), red-

tailed hawk (*Buteo jamaicensis*), and turkey vulture (*Cathartes aura*).

Despite the fact that much of the habitat in this area is degraded, a variety of wildlife species were documented including coyote, mule deer, and loggerhead shrike. A complete list of wildlife species documented within the survey area is presented in Appendix B. This list also includes species not detected during field surveys but potentially present based on prior records in the vicinity and suitability of habitat and occurrence within the region. Surveys for invertebrate species were not conducted.

3.1.4 Sensitive Habitats and Special Status Species

3.1.4.1 Habitats and Plant Species

No sensitive plant communities occur within the APE.

Two special status species, Gaviota tarplant (*Deinandra increscens* ssp. *villosa*), and Kellogg's horkelia (*Horkelia cuneata* ssp. *sericea*) were documented within the APE for the WR CT Site project (Table 3-2). One additional special status plant species, black-flowered figwort (*Scrophularia atrata*), was

identified as having the potential to occur. However, given the time of year the plant surveys were completed, this species was not detected. Potential occurrence was determined based on past documentation of special status species within the vicinity of the survey area, on suitability of habitat, and occurrence within the region of a particular species.

Gaviota tarplant

Gaviota tarplant is a widely branched, summer flowering annual that grows on sandy loam soils (CDFG 2000). Gaviota tarplant is endemic to Santa Barbara County. There are many locations of this species on Vandenberg AFB. While most locations are coastal, some extend inland. This plant is most often associated with grasses, and on occasion, with coastal shrubs such as *Baccharis* and *Isocoma*.

Several specimens of Gaviota tarplant were documented in the ruderal community located along the roadsides of 13th Street and Watt Road extending along the eastern side of the APE for the WR CT Site project (Figure 3-1).

Table 3-2.

Federal special status plant species and other plant species of concern that occur or with potential to occur within the APE for the WR CT Site project.

Scientific Name Common Name	Status			Occurrence	Habitat	Bloom Period
	USFWS ¹	CDFG ²	CNPS ³			
<i>Deinandra increscens</i> ssp. <i>villosa</i> Gaviota tarplant	FE	SE	1B	Documented	Grassland, Ruderal	Jun-Sep
<i>Horkelia cuneata</i> ssp. <i>sericea</i> Kellogg's horkelia	FSC		1B	Documented	Central Coastal Scrub, Grassland, Non-native Woodland, Ruderal, Southern Bishop Pine Forest	Apr-Sep
<i>Scrophularia atrata</i> Black-flowered figwort	FSC		1B	Potential	Central Coastal Scrub	Apr-Jun

¹ FE = Federal Endangered Species FSC = Federal Species of Concern.

² SE = State Endangered Species

³ California Native Plant Society (CNPS) 1B = plants rare, threatened, or endangered throughout their range (Skinner & Pavlik 1994).

Kellogg's horkelia

This matting, herbaceous perennial is widely distributed on Vandenberg AFB in Central Coastal Scrub in sandy soils, on old dunes, and on coastal sand hills. *H. cuneata* ssp. *sericea* closely resembles *H. c.* ssp. *cuneata* and is highly variable in this area, which encompasses the southern part of its range. Due to the difficulty of distinguishing between the two subspecies, any *H. cuneata* found during field surveys would be treated as subspecies *sericea* (C. Gillespie, pers. comm.).

This species was documented within the southern section of the APE during the botanical surveys for the WR CT Site project (Figure 3-1).

Black-flowered figwort

Black-flowered figwort is a perennial herb found from southern San Luis Obispo County to northern Santa Barbara County, in coastal dunes, coastal scrub, chaparral and woodlands in calcareous or diatomaceous soils, at elevations less than 500 meters. This species is a common component of coastal scrub communities on Vandenberg AFB.

This species could potentially occur within the APE for the WR CT Site project.

3.1.4.2 Wildlife Species

No federal threatened or endangered wildlife species are known to occur within the APE for the WR CT Site project. However, several federal species of concern occur in coastal scrub including silvery legless lizard (*Anniella pulchra pulchra*), and coast horned lizard (*Phrynosoma coronatum frontale*). In addition, these communities provide foraging and/or breeding habitat for avian species of special concern including Western burrowing owl (*Athene cunicularia hypugea*), golden eagle (*Aquila chrysaetos*), ferruginous hawk (*Buteo regalis*), Lawrence's goldfinch (*Carduelis lawrencei*), white-tailed kite (*Elanus leucurus*), loggerhead shrike (*Lanius ludovicianus*), Allen's hummingbird

(*Selasphorus sasin*), and California thrasher (*Toxostoma redivivum*).

Table 3-3 lists federal special status wildlife species and other wildlife species of concern known to occur or that potentially occur within the APE. Potential occurrence was determined based on field surveys conducted for this project, on past documentation of special status species within the vicinity of the survey area, and on suitability of habitat and occurrence within the region of a particular species.

Silvery legless lizard

This ground dwelling lizard is found primarily in areas with sandy or loose organic soils or where there is plenty of leaf litter in coastal dune scrub, valley-foothill scrub, chaparral, and coastal scrub habitat types. Legless lizards can seek cover under surface objects such as flat boards and rocks where they lie barely covered in loose soil, and are often encountered buried in leaf litter or burrowing near the surface through loose or sandy soil. The reproductive season begins with mating activities in late spring or early summer, with live young born September through November.

Suitable habitat for this species occurs within the project area and it has the potential to occur throughout the APE.

California horned lizard

California horned lizards are found in areas with abundant open vegetation, such as coastal scrub and annual grasslands, with loose, sandy soils and an open shrub canopy. These terrestrial lizards are active above ground from April through October and can often be found in the early morning basking on the ground or elevated objects. They avoid predators and extreme heat by burrowing into loose soil. These lizards pass periods of inactivity and winter hibernation under surface objects such as rocks or logs, or in crevices or mammal burrows. The breeding season varies depending on locality, but has been reported to exist mostly from May to June.

Table 3-3.

Federal special status wildlife species and other species of concern that occur or with potential to occur within the APE for the WR CT Site project.

Scientific Name Common Name	Status		Occurrence	Breeding Season
	USFW ¹	CDFG ²		
Reptiles				
<i>Anniella pulchra pulchra</i> Silvery legless lizard	FSC	CSC	Potential	Mate May-Jun Birth Sep - Oct
<i>Phrynosoma coronatum frontale</i> California horned lizard	FSC	CSC	Potential	Apr - Aug
Birds				
<i>Athene cunicularia hypugea</i> Western burrowing owl	FSC	CSC	Potential	Apr - Jun
<i>Aquila chrysaetos</i> Golden eagle	FP	CSC	Potential	Jan - Aug
<i>Buteo regalis</i> Ferruginous hawk	FSC	CSC	Potential	Only winters on Vandenberg AFB
<i>Carduelis lawrencei</i> Lawrence's goldfinch	FSC		Potential	Apr - Sep
<i>Elanus leucurus</i> White-tailed kite	FSC		Potential	Mar - Jul
<i>Lanius ludovicianus</i> Loggerhead shrike	FSC	CSC	Documented	Mar - Aug
<i>Selasphorus sasin</i> Allen's hummingbird	FSC		Potential	Feb - Aug
<i>Toxostoma redivivum</i> California thrasher	FSC		Potential	Jan - Jun

1 FP = Federally Protected (Bald and Golden Eagle Protection Act of 1940) FSC = Federal Species of Concern

2 CSC = California Species of Concern

Suitable habitat for this species occurs within the project area and it has the potential to occur throughout the APE.

Western burrowing owl

Western burrowing owls are year-round residents of open, dry grassland, desert habitats, and open scrub communities. This small owl can be active during the day and night. They usually nest in abandoned ground squirrel (or other small mammal) burrows, although they may dig their own burrows in soft soil. Burrowing owls nest between March and late June. Historical accounts suggest that Vandenberg AFB once supported a resident population of burrowing owls. Presently, peak abundance for burrowing owls occurs in lower elevation grassland and coastal scrub areas of the base, with most sightings reported in the rangeland of Sudden Flats in South Vandenberg AFB (Holmgren and Collins

1999). Breeding has not been reported since 1979-1980, when 4-5 pairs nested in rangelands east of Point Arguello for two consecutive years (A. Naydol pers. comm. 1996).

Burrowing owls were not observed during the biological surveys for the WR CT Site. However, the coastal scrub within the APE provides suitable habitat for this small owl, and migrating/wintering burrowing owls have been known to occur in the past along Watt Road just west of the intersection of Cross Road, within 0.5 mile or less of the proposed project site (N. Francine, pers. comm.).

Golden eagle

Golden eagles typically inhabit rolling foothills, mountain areas, sage-juniper flats, and desert. Rugged, open habitats with canyons and escarpments are used most frequently for nesting, which occurs from late

January through August, with a peak in March through July (CDFG 1990). Golden eagles are occasionally seen throughout Vandenberg AFB and are thought to nest in the local mountains (Lehman 1994). In addition, they may forage in open scrub and grassland habitats. However, these would be expected to be occasional rare sightings.

Suitable breeding habitat for this species does not exist within the APE. However, golden eagles may use habitats such as the coastal scrub within the APE for foraging.

Ferruginous hawk

This species is an uncommon fall transient and winter resident to Santa Barbara County; it is typically observed in coastal and interior grasslands, and agricultural fields. Ferruginous hawks are typically present in California from September to mid April (CDFG 1990). During the winter these hawks often roost communally.

The coastal scrub community located within the APE would provide suitable foraging habitat for this species.

Lawrence's goldfinch

This goldfinch is highly erratic and localized in occurrence; they occur in a variety of open and semi-open habitats, including willow riparian oak woodland and open coniferous forest. Lawrence's goldfinches build nests in the dense foliage of trees or shrubs. The breeding season extends from April to September.

The coastal scrub community within the APE provides suitable foraging and nesting habitat for this species.

White-tailed kite

California contains the largest number of white-tailed kites in North America. Kites have experienced declines in some areas since the 1980s. White-tailed kites forage in grassland and open scrubland habitats where small mammals comprise the bulk of their prey. Their breeding season lasts from March

to July. Nests are constructed in shrubs or trees (California Partners in Flight [CPIF] 2000).

Breeding has been documented on Vandenberg AFB (Holmgren and Collins 1999). Suitable foraging habitat exists within the APE.

Loggerhead shrike

This common resident and winter visitor in lowlands and foothills throughout California prefers open habitats with scattered shrubs, trees, posts, fences, utility lines, or other perches. It builds nests on stable branches of densely foliated shrubs or trees. The breeding period extends from March through August.

Breeding has been documented on Vandenberg (Holmgren and Collins 1999). This species was documented during field surveys for the WR CT project.

Allen's hummingbird

Allen's hummingbird is a migratory bird that summers along the Pacific Coast of the United States from Oregon to Southern California. This small hummingbird can be found in bushy woods, gardens, flower filled mountain meadows, and parks. The breeding season of this bird typically begins in February and can last through August during which time two broods are typically produced (Gough et al. 1998).

Although Allen's hummingbirds were not detected within the APE during field surveys, they are likely to occur and potentially breed throughout the area.

California thrasher

The California thrasher is endemic to coastal and foothill areas of California. Core habitat, in both coastal ranges and interior foothills, is chaparral. Within chaparral-dominated landscapes, California thrashers also inhabit riparian and oak woodlands, especially where understory shrubs are dense. This species has an extended breeding season (January through July), with

territorial activity intensifying with the start of the winter rains, usually in November. Most pairs raise two broods between February and June. California thrashers are fairly numerous in dense riparian areas and coastal sage scrub of Santa Barbara County.

The coastal scrub community within the APE provides suitable foraging and nesting habitat for this species.

3.1.5 Waters of the United States and Wetlands

For the wetland hydrology criterion to be met a site must be inundated or saturated or exhibit features that show the area was inundated or saturated for the required period of time (i.e., 45 days). A hydric soil is defined as "...a soil that is saturated, flooded, or ponded long enough during the growing season to develop anaerobic conditions that favor the growth and regeneration of hydrophilic vegetation (Environmental Laboratory 1987).

No wetlands were documented within the APE during the biological surveys.

3.2 Cultural Resources

A summary of the prehistory and ethnohistory as it relates to the cultural setting is provided in Appendix C.

3.2.1 Existing Resources

An archaeological record and literature search was completed for the Proposed Action (Alternative A) and Alternative C. For purposes of the proposed project, the Proposed Action APE for Cultural Resources consists of the proposed project area, a 240-foot by 270-foot (approximately three-acre) area located 250 feet west of 13th Street and 1,740 feet south of Watt Road. The APE also includes a perimeter of approximately 200 feet on all sides of the proposed project area. In addition, the APE includes a 260-foot wide, 5,090-foot long corridor along the west side of

13th Street between Atlas Road and Building 1762. The corridor extends 240 feet along the overhead power line route to the northwest of the proposed project area and 260 feet along the fiber optic route to the southeast of the proposed project area. Staging areas would be established within this APE. Under the Proposed Action, the proposed project area begins 1,100 feet south of the north end of the overhead power line corridor. Under Alternative C, the proposed project area begins 835 feet from the north end of the overhead power line corridor. The remainder of the Alternative C APE is the same as that for the Proposed Action. The APEs are shown in Figures 2-2 (Proposed Action) and 2-8 (Alternative C).

Due to the similar APEs for the Proposed Action and Alternative C, the record search results apply to both alternatives. This research revealed that 16 surveys or other cultural resource studies have been completed within a 1.0-mile radius of the project area (Table 3-4). The record search also revealed that the entire APE was previously surveyed for archaeological sites (see Section 3.2.2 below for more details). As a result, no pedestrian survey was conducted within the proposed or alternative APEs.

3.2.2 Archival Research

Archival research was completed at the Central Coast Information Center, University of California, Santa Barbara (CCIC-UCSB), and at 30 CES/CEVPC, Vandenberg AFB, California. This effort included a review of literature, archaeological base maps, and cultural resource records. Information was collected for previous archaeological studies within 1.0 mile, and for archaeological sites within 0.25 mile, of the APE. Maps consulted at 30 CES/CEVPC include Vandenberg AFB A-3 series (46 map set), the Base Comprehensive Plan (BCP) Geographic Information System (GIS), and USGS topographic maps. Maps resulting from Palmer's (1999) study of historic resources were also consulted. Earle and Johnson (1999) was consulted for information on areas

Table 3-4.
References for previous archaeological studies recorded within 1.0 mile of the project area.

Surveys or Studies Recorded Within 1.0 Mile	Vandenberg AFB Reference No.	UCSB Reference No.
Glassow 1977	1977-01	V-5
HDR Sciences 1979	1979-2	V-2
Craig 1980	1980-13	V-2
WESTEC Services, Inc. 1981	1981-04	V-16
Neff 1982	1982-05	V-9
HDR Sciences 1982	1981-19	V-8
King 1984	1984-26a	n/a
Roberts 1984	1984-26b	n/a
Advanced Sciences, Inc. 1991	1991-05	
Osland 1992		V-139
Osland 1993	1993-03	V-190
Clark 1997	1997-01	V-159
Denardo 1997	1997-11	n/a
Lebow 1997a	1997-24	n/a
Lebow 1997b	1997-26	n/a
Carbone and Mason 1998	1998-03	
Mirro and Lebow 2003	2003-01	V-218

of potential concern to Native Americans. USGS topographic maps with plotted site and study locations were consulted at UCSB.

Archaeological Studies in the Project Vicinity

Archival research indicates that 17 cultural resource studies have been completed within 1.0 mile of the proposed project (Table 3-4). The entire APE was previously surveyed during the base-wide survey for archaeological sites (Carbone and Mason 1998). Two additional archaeological studies completed within the project area are associated with survey for a wildland fire training area at Thirteenth Street and Watt Road (Osland 1993) and survey for repair of the septic system at Building 1762 (Clark 1997). No cultural resources were recorded within the APE as a result of these studies. Eleven archaeological sites are recorded within a 0.25-mile radius of the APE (Table 3-5). Of these, CA-SBA-3225 is the closest. The site is a low density lithic scatter located on the east side of 13th Street and approximately 800 feet from the APE.

Table 3-5.
Archaeological sites within 0.25 mile of the WR CT project APE.

CA-SBA-592	CA-SBA-3226
CA-SBA-703	CA-SBA-3227
CA-SBA-709	CA-SBA-3229
CA-SBA-2495	CA-SBA-3230
CA-SBA-3224	CA-SBA-3231
CA-SBA-3225	

3.3 Air Quality

Air quality is described by the concentration of pollutants in the atmosphere. These concentrations are expressed in units of parts per million (ppm) or micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). Air quality is determined by the type and amount of pollutants emitted into the atmosphere together with the size and topography of the air basin and the prevailing meteorological conditions. Comparing the concentration to state and federal ambient air quality standards determines the significance of any particular pollutant concentration. These standards represent the maximum allowable atmos-

pheric concentrations that may occur while still providing protection for public health and safety with a reasonable margin of safety.

The Clean Air Act (CAA) required the U.S. EPA to establish ambient ceilings for certain criteria pollutants. Subsequently, the U.S. EPA promulgated regulations that set the National Ambient Air Quality Standards (NAAQS). NAAQS have been established for carbon monoxide (CO), lead (Pb), nitrogen dioxide (NO₂), ozone (O₃), particulate matter 10 microns or less in diameter (PM₁₀), particulate matter 2.5 microns or less in diameter (PM_{2.5}), and sulfur dioxide (SO₂). Of these criteria pollutants, only O₃ is a secondary pollutant, i.e., it is not directly emitted, but is formed from the reaction of nitrogen oxides (NO_x) and reactive organic compounds (ROCs) is used to describe that portion of volatile organic compounds (VOCs) that readily react in the atmosphere and produce ozone. The definition of ROC found in Santa Barbara County Air Pollution Control District (SBCAPCD) Rule 102, *Definitions*, is identical to the U.S. EPA definition of VOC. They are used synonymously in this analysis. The NAAQS are presented in Table 3-6.

Under the California CAA, California established air quality standards for the state, known as the California Ambient Air Quality Standards (CAAQS). CAAQS are generally more stringent than the NAAQS and there are additional CAAQS for sulfates (SO₄), hydrogen sulfide (H₂S), vinyl chloride, and visibility-reducing particulate matter. The CAAQS are also presented in Table 3-6.

The area affected by the emissions from the Proposed Action includes Vandenberg AFB and the surrounding portions of northern Santa Barbara County. For CO, NO₂, PM₁₀, and SO₂, the affected area is generally limited to a few miles downwind of the emission source, while for O₃ it can extend many miles downwind. Because the reaction between ROCs and NO_xs usually occurs several hours after they are emitted, the maximum O₃ level can be many miles from the source; therefore, the area affected by Vandenberg AFB-produced

O₃ and its precursors could include most of northern Santa Barbara County. In addition, O₃ and its precursors transported from other regions can combine with local emissions to produce high, local O₃ concentrations.

3.3.1 Regional Climate and Meteorology

The climate at Vandenberg AFB can be characterized as cool and wet from October through April and warm and dry from May through September. The average annual rainfall is approximately 14.6 inches, most of which falls between October and May. Winds are usually light during the nighttime hours, reaching moderate speeds of approximately 12 miles per hour by the afternoon. Winds are most often northwesterly on North Base and north to northeasterly on South Base. The strongest winds are associated with rainy season storms.

Vandenberg AFB is subject to early morning and afternoon temperature inversions about 96% and 87% of the time, respectively. In an inversion, air temperature rises with increasing altitude, which confines the surface air and prevents it from rising. This restricts the vertical dispersion of pollutants and, therefore, increases local pollutant concentrations. Pollutants are "trapped" under an inversion layer until either solar radiation produces enough heat to lift the layer or strong surface winds disperse the pollutants. In general, these conditions occur most frequently during the nighttime and early morning hours.

3.3.2 Existing Air Quality

The U.S. EPA classifies air quality within each air quality control region with regard to its attainment of NAAQS. The California Air Resources Board does the same for CAAQS. An area with air quality better than state or federal ambient air quality standards for a specific pollutant is designated as attainment for that pollutant. Any area not meeting those standards is

Table 3-6.
Ambient air quality standards.

Pollutant	Averaging Time	CAAQS ^{a,c}	NAAQS ^{b,c}	
			Primary ^d	Secondary ^e
Ozone	8-hour	--	0.08 ppm ^f (157 µg/m ³)	same as primary
	1-hour	0.09 ppm (180 µg/m ³)	0.12 ppm ^f (235 µg/m ³)	
Carbon Monoxide	8-hour	9 ppm (10,000 µg/m ³)	9 ppm (10,000 µg/m ³)	--
	1-hour	20 ppm (23,000 µg/m ³)	35 ppm (40,000 µg/m ³)	--
Nitrogen Dioxide	annual average	--	0.053 ppm (100 µg/m ³) (geo)	same as primary (geo mean)
	1-hour	0.25 ppm (470 µg/m ³)	--	--
Sulfur Dioxide	annual average	--	0.03 ppm (80 µg/m ³)	--
	24-hour	0.04 ppm (105 µg/m ³)	0.14 ppm (365 µg/m ³)	--
	3-hour	--	--	0.5 ppm (1300 µg/m ³)
	1-hour	0.25 ppm (655 µg/m ³)	--	--
PM ₁₀	annual mean (arith or geo)	20 µg/m ³ (geo)	50 µg/m ³ (arith)	same as primary (arith mean)
	24-hour	50 µg/m ³	150 µg/m ³	same as primary
PM _{2.5}	annual arith mean	12 µg/m ³	15 µg/m ³	same as primary
	24-hour	--	65 µg/m ³	same as primary
Sulfates	24-hour	25 µg/m ³	--	--
Lead	30-day average	1.5 µg/m ³	--	--
	quarterly	--	1.5 µg/m ³	same as primary
Hydrogen Sulfide	1-hour	0.03 ppm (42 µg/m ³)	--	--
Vinyl Chloride	24-hour	0.010 ppm (26 µg/m ³)	--	--
Visibility Reducing Particles	1 observation (8 hours from 8 AM to 6 PM PST)	sufficient amount to produce extinction coefficient of 0.07 per kilometers due to particles when relative humidity <70%.	--	--

- a California Standards for ozone, carbon monoxide, sulfur dioxide (1- & 24-hour), nitrogen dioxide, PM₁₀, PM_{2.5} and visibility reducing particles are not to be exceeded. Sulfate, lead, hydrogen sulfide & vinyl chloride standards are not to be equaled or exceeded.
- b National Standards, (other than ozone, particulate matter, and those based upon annual averages or average arithmetic means) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest eight-hour concentration in a year, averaged over three-years, is equal to or less than the standard. For PM₁₀, the 24-hours standard is attained when 99% of the daily concentrations, averaged over three years, are equal to or less than the standard. For PM_{2.5}, the 24-hours standard is attained when 98% of the daily concentrations, averaged over three years, are equal to or less than the standard.
- c Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature and pressure of 25 °C and 760-mm Hg, respectively. Most measurements of air quality are to be corrected the reference temperature of 25 °C and reference pressure of 760-mm Hg; ppm in this table refers to ppm by volume or micromoles of pollutant per mole of gas.
- d National Primary Standards: The level of air quality necessary, with an adequate margin of safety to protect the public health.
- e National Secondary Standards: The level of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
- f U.S. EPA promulgated new Federal 8-hour Ozone and PM_{2.5} standard on July 18, 1997.

classified as non-attainment. Santa Barbara County is in attainment or unclassified for all the ambient air quality standards except for the state standard for PM₁₀ and the state O₃ standards. Currently, Santa Barbara County's air quality is classified as maintenance attainment for the federal 1-hour O₃ standard (68 Federal Register [FR] 40789-40791).

The estimated emissions for Santa Barbara County and Vandenberg AFB are presented in Table 3-7. The Santa Barbara County emissions are 1999 daily planning emissions taken from the 2001 SBCAPCD Clean Air Plan, while the Vandenberg AFB emissions are annual emissions taken from the 2001 Comprehensive Emission Inventory Draft Report.

3.4 Water Resources

Water resources include surface water and groundwater and their physical, chemical, and biological characteristics. Surface water includes lakes, rivers, streams, and wetlands, while groundwater refers to water below the surface. Aquatic and wetlands habitats are discussed in Section 3.1, Biological Resources. Vandenberg AFB encompasses two major drainage basins: Santa Ynez River and San Antonio Creek. Aquifers capable of yielding large quantities of water usable for

water supply are generally restricted to these two major drainage basins (USAF 1998). San Antonio Creek and the Santa Ynez River are the primary collection basins for runoff from Vandenberg. Although their collection basins are extensive, flow in these two streams is seasonal because of low precipitation and upstream damming. Higher stream flows occur during the rainy season, which extends from November through May. The project area for the proposed WR CT Site is located within the San Antonio Creek drainage basin. Thus, the region of influence for the proposed WR CT Site includes the San Antonio Creek drainage basin and aquifers within the project area. The APE was defined as the Proposed Action Project Area as depicted in Figure 2-2, and the Alternative C Project Area as depicted in Figure 2-8.

3.4.1 Regional Setting


San Antonio Creek, on North Vandenberg AFB, drains an area of approximately 154 square miles, and discharges into the Pacific Ocean some 28 miles west of its origin in the San Rafael Mountains (Figure 3-2).

San Antonio Creek enters Vandenberg AFB at Barka Slough, a palustrine emergent and forested wetland situated within the San Antonio Creek valley, approximately eight miles east of the Pacific Ocean, and six miles east of the proposed

Table 3-7.
Existing emissions.

Source	1999 Emissions (Tons/Day)				
	CO	NO _x	PM ₁₀	ROC	SO _x
Santa Barbara County					
Stationary Sources	3.8486	5.3001	0.9581	8.4711	2.2873
Area-Wide Sources	7.2004	0.7563	23.3440	7.9592	0.0063
Mobile Sources	208.7235	42.4938	0.2404	24.3850	2.0604
OCS Sources	5.7499	29.0837	0.0896	2.8444	20.4629
Total	225.5224	77.6339	24.6321	43.6597	24.8169
Vandenberg AFB Annual^a	1,133.75	229.39	212.86	164.78	2.06

a Emissions are in tons/year.



WR CT Site. The riparian corridor downstream from this area consists of dense willow woodland that persists until the creek reaches the San Antonio Lagoon at its mouth.

At its nearest point, San Antonio Creek is approximately 0.3 miles northeast of the APE for the WR CT Site (Figure 3-3). The drainage basin of San Antonio Creek has a gradient that closely approximates that of its valley. Within the APE for the WR CT Site, the slope is less than one percent (Figure 3-3). The erosion potential for slopes between zero and seven percent is low to moderate (Viers et al. 1998).

3.4.2 Hydrology

The climate of the San Antonio Creek basin is characterized by a wet season and a dry season, with most precipitation (approximately 90%) occurring in the wet season, between November and May. Average annual rainfall throughout the basin


is 14 inches, and temperatures range from 40 to 60 degrees Fahrenheit (°F) during the winter months, and 60 to 80°F during the summer months. Land use throughout most of the watershed includes natural open areas and agricultural uses, with scattered military and domestic uses.

Extensive hydrologic studies of San Antonio Creek were completed between 1998 and 2002 in support of a bridge replacement at El Rancho Road, approximately 0.7 miles upstream of the nearest point to the APE for the WR CT Site (USAF 2002). Analyses included estimations of peak flows, storm runoff volumes and historical high flows along San Antonio Creek from Barka Slough to the Pacific Ocean. The studies used data collected by the U.S. Geological Survey (USGS) between 1956 and 1998 for Gage No. 11136100, located about 1.6 miles upstream from the Lompoc-Casmalia Road bridge (approximately 2.8 miles upstream of the nearest point to the APE for the WR CT Site). The 100-year peak flow was estimated to be 8,710 cubic feet per second (cfs), and the average annual flow was estimated to be 730 cfs; the 100-year storm runoff was estimated at 16,353 acre feet, and the average annual storm runoff was estimated to be 1,260 acre feet (Table 3-8).

Table 3-8.
Summary of peak flows and volumes of San Antonio Creek.

Return period (years)	Peak Flow (cfs)	Storm Volume (acre-feet)
100	8,710	16,353
50	5,520	10,158
25	3,400	5,941
10	1,600	2,745
5	820	1,337
2	220	345
Average Annual ¹	730	1,260

cfs – cubic feet per second.
Source: USAF 2002.



3.4.3 Surface Water

The riparian corridor along San Antonio Creek varies in width from 700 to 3,500 feet. The combination of high-density willow vegetation along the corridor, low slope, and large flow area, results in low flow velocities, shallow flow depths, and reduced capacity for sediment transport.

The 100-year floodplain width extends from 940 to 3,500 feet. In the vicinity of El Rancho Road bridge, the southern floodplain boundary is contained by a series of bluffs. The proposed WR CT Site would be located on top of these bluffs (Figure 3-3). Thus, it is outside of the 100-year floodplain.

3.5 Earth Resources

3.5.1 Geology and Soils

Vandenberg AFB is a geologically complex area that includes the transition zone between the Southern Coast Range and Western Transverse Range geomorphic provinces of California. The geologic features of Vandenberg AFB have been an important factor in the development of the diverse natural habitats found in this primarily undeveloped stretch of California coastline. Vandenberg AFB is underlain predominantly by marine sedimentary rocks of Late Mesozoic age (140 to 70 million years before the present) and Cenozoic age (70 million years to the present). The basal unit underlying the entire base is the Franciscan Formation of upper Jurassic age (Dibblee 1950). The Franciscan Formation consists of a series of sedimentary and volcanic rocks with numerous serpentine intrusions. Extensive folding and faulting throughout the Vandenberg AFB area has created four structural regions: the Santa Ynez range, the Lompoc lowland, the Los Alamos syncline, and the San Rafael Mountain uplift (Reynolds et al. 1985). The Santa Ynez range consists of a very thick Cretaceous-Tertiary sedimentary section uplifted along the Santa

Ynez fault; it was then subsequently folded. The Lompoc lowland is an area of low relief that is structurally synclinal but has Franciscan basement relatively close to the surface. The Los Alamos syncline is a deep structural down warp traversing the Los Alamos and upper Santa Ynez valleys. Faulting along the southwestern margin of the mountain range uplifted the San Rafael Mountains. The majority of the folds in these structural regions are oriented to the northwest.

The Proposed Action and Alternative C are located within the Burton Mesa landform, which is bounded on the west by the Pacific Ocean, on the north by San Antonio Creek, and on the east by the Purisima Hills. Burton Mesa landform lies within the Santa Maria Basin, a sedimentary trough that lies between the Southern Coast Range geomorphic province to the north and the Transverse Range geomorphic province to the south.

Burton Mesa is a broad, flat plateau that rises approximately 400 feet above the San Ynez River floodplain and mean sea level, and covers an area of about 50 square miles. Drainage from Burton Mesa flows primarily in two directions: south into the Santa Ynez River and northwest into San Antonio Creek and the Pacific Ocean. Recent and older sand dunes extend along the coastal part of the Burton Mesa. The Pleistocene Orcutt Formation is exposed in the inland portion of the mesa.

The dominant soil type within the Proposed Action and Alternative C is a Tangair-Narlon association (Shipman 1972). Tangair soils occur on nearly level to gently sloping terraces at elevations of 40 to 900 feet. These are poorly drained soils with slow or very slow runoff. Narlon soils are found on partially dissected terraces of nearly level to moderate slopes at elevations of 20 to 800 feet. These soils are poorly drained and have slow to medium runoff potential. (Natural Resources Conservation Service [NRCS] 2001). Tangair-Narlon association occurs on nearly level to strongly sloping terrain. Poorly drained sands and loamy sands located

primarily on terraces characterize this association.

3.5.2 Seismology

The Santa Barbara County region is seismically active with a major earthquake occurring in the region about every 15 to 20 years (USAF 1987, Alterman et al. 1994). The three primary fault zones that project through Vandenberg AFB are the Santa Ynez-Pacific Fault Zone, the Lompoc-Solvang (Santa Ynez River)-Honda Fault Zone, the Lions Head-Los Alamos-Baseline Fault Zones, and their potential offshore extensions (Alterman et al. 1994).

These fault systems within the Transverse Ranges are considered active (Jennings 1994) and capable of generating damaging earthquakes. Moderate or major earthquakes along these systems could generate strong or intense ground motions in the area, and possibly result in surface ruptures of unmapped faults along the northern and southern boundaries, as well as the central part of Vandenberg AFB.

3.5.3 Geological Hazards

The region of influence considered for purposes of this EA is Santa Barbara County. The Proposed Action and Alternative C are located in a seismically active portion of Central California. Potential hazards that could affect the site and result in structural damage include faulting, ground shaking, liquefaction, lateral spreading and flooding. The hazards consist of seismically induced settlement, and collapse (hydroconsolidation).

The potential for surface fault rupture on Vandenberg AFB is generally considered to be low (USAF 1987). At the present, there are no known areas where liquefaction has occurred. Areas most prone to liquefaction are those in which there is sandy to silty soil, the water table is within 50 feet of the surface, and earthquake loading exceeds 20% of gravity. The areas most prone to liquefaction on Vandenberg AFB are near San Antonio Creek and the Santa Ynez River. The

potential for liquefaction on Vandenberg AFB, despite these areas, is still considered low (USAF 1987).

3.6 Hazardous Materials and Waste Management

Hazardous materials and waste include substances that, because of their quantity, concentration, physical, chemical, or infectious characteristics, can present substantial danger to public health and welfare or to the environment when released into the environment. These substances are defined as hazardous by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S. Code [USC] 9601-9675), the Solid Waste Disposal Act as amended by the Resource Conservation and Recovery Act (RCRA) (42 USC 6901-6992), and Title 22 of the California Code of Regulations (CCR). Executive Order (EO) 12088, under the authority of U.S. Environmental Protection Agency (EPA), ensures that necessary actions are taken for the prevention, management, and abatement of environmental pollution from hazardous materials or waste caused by federal facility activities.

3.6.1 Hazardous Materials Management

Vandenberg AFB uses hazardous materials for its missions and mission support activities. In addition to complying with federal and state regulations, all operators on Vandenberg AFB must comply with 30 SW Plan 32-7086 *Hazardous Materials Management*. All hazardous materials brought onto Vandenberg AFB must be approved and coordinated through the Base Hazardous Materials Pharmacy (Hazmart). Hazardous materials management also requires compliance with California Business Plan regulations (California Health and Safety Code 6.95). Inspections by Base and Santa Barbara County officials verify compliance with hazardous materials requirements.

3.6.2 Hazardous Waste Management

Vandenberg AFB generated an estimated 656 tons of hazardous waste in the year 2000 (Vandenberg AFB 2001). At the present, Vandenberg AFB operates “satellite” and less than 90-day accumulation points. Hazardous waste is manifested and shipped off-site for final disposal by a Defense Logistic Agency approved contractor (30 SW Plan 32-7043A, *Hazardous Waste Management*, February 2001).

The Vandenberg AFB Hazardous Waste Management Plan (HWMP) outlines the procedures to be followed for hazardous waste management and disposal. Implementation of the Hazmart and other Pollution Prevention Program components will continue to reduce hazardous wastes generated on base.

3.6.3 Installation Restoration Program

The federal Installation Restoration Program (IRP) was implemented at Department of Defense (DOD) facilities to identify, characterize, and restore hazardous substance release sites. There are currently 136 IRP sites throughout Vandenberg AFB grouped into six Operable Units based on similarity of their characteristics. IRP sites are remediated through the Federal Facilities Site Remediation Agreement, a working agreement between the Air Force, the Regional Water Quality Control Board – Central Region, and the Department of Toxic Substances Control. In addition to IRP sites, there are identified Areas of Concern (AOC), where potential hazardous material releases are suspected; and Areas of Interest (AOI), defined as areas with the potential for use and/or presence of a hazardous substance.

No IRP, AOC or AOI sites are present within 2,000 feet of the locations selected for the Proposed Action or Alternative C.

3.6.4 Hazardous Materials and Waste Transport

The Department of Transportation (DOT) regulates the transport of hazardous materials and waste. Anyone transporting hazardous materials or waste must obtain U.S. EPA identification numbers as transporters. The U.S. EPA has incorporated DOT regulations (49 USC) into its regulatory scheme, and has added other requirements such as record keeping and cleanup of spills. Transporters of hazardous materials and waste at Vandenberg AFB are regulated by the aforementioned laws and are DOT certified transporters. Vandenberg AFB follows the California Department of Transportation (Caltrans) requirements for traveling with hazardous materials on U.S. Highway (Hwy.) 1, which runs through part of the eastern edge of Vandenberg AFB, and State Route (SR) 246, which physically divides the base into North and South Vandenberg AFB.

3.6.5 Solid Waste

The Vandenberg AFB Class III landfill occupies approximately 172 acres and operates pursuant to Solid Waste Facility Permit #42-AA-0012 issued to the Air Force on January 10, 2000, by the Santa Barbara County Environmental Health Services Department; and pursuant to Waste Discharge Requirement Order No. 94-26 issued on June 3, 1994, by the California Regional Water Quality Control Board. This permit allows the Vandenberg AFB landfill to accept a daily maximum of 400 tons of waste. The average daily volume of solid waste received at the landfill is 30 to 60 tons. The landfill accepts solid waste from base residences, on-base organizations and the U.S. Federal Penitentiary in Lompoc. The 30 SW Solid Waste Management Plan directs the management of all solid waste materials on Vandenberg AFB.

3.6.6 Pollution Prevention

The Pollution Prevention Act (PPA) was enacted in 1990 to refocus the national approach to environmental protection. The PPA has turned the focus of environmental protection toward pollution prevention (P2), which emphasizes source reduction and recycling to reduce impacts to all media. The Air Force has developed a P2 Program to implement the requirements of the RCRA, Hazardous and Solid Waste Amendments (HSWA), and the PPA of 1990. The U.S. Air Force Program requires each installation to develop a Pollution Prevention Management Plan (PPMP) outlining an overall program strategy. The PPMP along with the Hazardous Waste Management Plan, the Wastewater Management Plan, Hazardous Materials Emergency Response Plan, Solid Waste Management Plan, and other associated waste minimization directives and plans, forms the basis for reducing pollution at Vandenberg AFB. The PPMP is applicable to all entities including military units, DOD and non-DOD agencies, government and non-government contractors, and commercial operators conducting activities on Vandenberg AFB and its remote sites that generate air emissions, hazardous and solid wastes and wastewater.

Potential impacts on P2 resulting from the Proposed Action would affect primarily Santa Barbara County, California. The region of influence considered in this EA for pollution prevention is Santa Barbara County.

The P2 Program addresses waste generation, material acquisition, handling and use of materials, production and operational activities, process management, waste management, and waste disposal. It is a cradle-to-grave approach, wherein there is an accounting of what enters, what is used, and what leaves Vandenberg AFB.

The Air Force has established specific minimization/reduction goals for selected P2 Program components:

- Ozone depleting chemicals (ODCs);

- EPA 17 industrial toxic project chemicals;
- Hazardous waste;
- Municipal solid waste;
- Environmentally preferred products;
- Energy conservation;
- Water conservation;
- Emergency Planning and Community Right-to-Know Act (EPCRA)/Toxic Release Inventory chemical releases; and
- Pesticide management.

3.7 Land Use and Aesthetics

This section addresses the setting, existing land uses, and aesthetics of the project areas for the Proposed Action and Alternative C, and adjacent areas. The surrounding land uses are not anticipated to change with implementation of either the Proposed Action or Alternative C.

3.7.1 Setting

Vandenberg AFB comprises a total of 99,099 acres in northern Santa Barbara County. The Base is divided into two areas, known as North Vandenberg AFB and South Vandenberg AFB, by SR 246 (West Ocean Avenue at this juncture). North Vandenberg AFB contains the urbanized cantonment area, which includes administrative, industrial, and residential uses. Scattered launch, test, and tracking facilities occur on both North and South Vandenberg AFB.

Open space accounts for over 90% (over 89,543 acres) of the land. The area covered by buildings, helipads, runways, driveways, roads, recreation areas, and slabs, totals 33,180 acres (approximately 33%). The majority of these developed lands are within the cantonment area of North Vandenberg AFB.

Development on Vandenberg AFB is regulated through the Vandenberg AFB

General Plan (USAF 2004), various U.S. Air Force safety regulations, and several state and Federal regulations aimed at preserving the cultural and environmental resources on Vandenberg AFB (see Table 1-1, Chapter 1). Guidance for land use planning is in AFI 32-7062, Air Force Base Comprehensive Planning (26 February 2002).

Visual resources and landscape elements on Vandenberg AFB include natural features such as gently rolling hills, canyons, creeks, sand dunes and beaches. Man-made features on base include the airfield, launch pads, residential development, industrial facilities, and other structures typical of a military installation. Visual resource sensitivity is dependent on the type of user, the amount of use, and viewer expectations. Because the mission of the base is the development of U.S. space and missile programs, viewers are familiar with the existing man-made features on the base associated with these programs.

The area where the proposed WR CT Site would be located is situated on a very gently sloping parcel in an open space region of North Vandenberg AFB, approximately two miles northeast of the airfield runway. To the north of the site there is a paved road (Watt Road), an unpaved road (Atlas Road), and an abandoned-in-place launch site (ABRES) with associated facilities. 13th Street runs along the eastern side of the site, and various mission related buildings are present along 13th Street north and south of the site. Specifically, the WR CT Site would be located on an undeveloped parcel vegetated by a highly disturbed coastal scrub that in the past has been subjected to various disturbances including the installation of power lines and prescribed burns.

3.7.2 Coastal Zone Management

Federal activity in, or affecting, a coastal zone requires preparation of a Coastal Zone Consistency Determination or a Negative Determination, in accordance with the federal Coastal Zone Management Act (CZMA) of 1972. The California Coastal Zone

Management Program was formed through the California Coastal Act (CCA) of 1972. The Air Force is responsible for making final coastal zone consistency determinations for its activities within the state. The California Coastal Commission reviews federally authorized projects for consistency with the California Coastal Zone Management Program.

On Vandenberg AFB, the coastal zone extends inland from approximately 0.75 mile at the northern boundary to 4.5 miles at the southern end of the base. The Proposed Action and Alternative C are located approximately 2.5 miles inland and are within the coastal zone.

3.8 Utilities

Several regulations apply to energy efficiency and conservation. The Energy Policy Act of 1992 requires that federal agencies significantly reduce their use of energy and reduce environmental impacts by promoting the use of energy-efficient and renewable energy technologies. EO 12902, Energy Efficiency and Water Conservation at Federal Facilities, requires agencies to develop and implement programs to reduce energy consumption by 30% by the year 2005.

3.8.1 Electrical System

Pacific Gas and Electric Company (PGE) provides electricity to Vandenberg AFB via the Orcutt Substation. Three metered electrical services distribute the electricity throughout the base: Honda Canyon, Oak Mountain, and Main Base. Electrical power consumption in 1997 at Vandenberg AFB was 182,497,304 kW-hours (USAF 2004). Electrical lines in the vicinity of the Proposed Action Area and Alternative C Area are aboveground and mounted on poles. Vandenberg AFB military and civilian personnel do maintenance of the Vandenberg AFB electrical system.

3.8.2 Water System

The water distribution system at Vandenberg AFB serves the base and the Lompoc Federal Penitentiary. Until 1997, the potable water supply was obtained from groundwater aquifers. Water usage surveys completed in 1996 indicated that groundwater consumption exceeded the replenishment rate. Vandenberg AFB average daily water use in 1997, including the Federal Penitentiary usage, was estimated at 3.6 million gallons per day (mgd), equivalent to 4,032 acre-feet per year. In October 1997, Vandenberg AFB entered into a contract with the State of California and the Central Coast Water Authority (CCWA) to purchase 5,500 acre-feet per year of state water. The point of delivery is at the Vandenberg AFB Main Reservoir, on North Vandenberg AFB. (USAF 2004).

3.9 Human Health and Safety

All construction activities and facility operations and maintenance on Vandenberg AFB are subject to the requirements of the federal Occupational Health and Safety Act (OSHA), and Air Force Occupational Safety and Health (AFOSH) regulations.

Relevant health and safety requirements include industrial hygiene and ground safety. Industrial hygiene is the joint responsibility of 30 SW Safety, Bioenvironmental Engineering, 30 SW Safety, and contractor safety departments. Responsibilities include monitoring of exposure to workplace chemicals and physical hazards, hearing and respiratory protection, medical monitoring of workers subject to chemical exposures, and oversight of all hazardous or potentially hazardous operations. Ground safety is the responsibility of 30 SW Safety and includes protection from hazardous situations and hazardous materials.

Many areas on Vandenberg AFB were used as ordnance training ranges in the past. As a result, there are remnants of unexploded

ordnance (UXO) in recognized areas of the base. Only a slight movement may detonate UXO from these areas, resulting in an explosion, burning, or release of smoke. Special precautions need to be taken in known areas of Vandenberg AFB that were used as practice ranges for artillery firing, referred to as Explosive Ordnance Disposal (EOD) Zones.

The affected environment for Health and Safety is the regulatory environment for health and safety issues established to minimize or eliminate potential risk to the general public and personnel involved in the WR CT Site construction project.

Noise

The Noise Control Act (42 USC 4901 *et seq.*) sought to limit the exposure and disturbance that individuals and communities experience from noise. It focuses on surface transportation and construction sources, particularly near airport environments. The NCA also specifies that performance standards for transportation equipment be established with the assistance of the Department of Transportation. Section 7 of the NCA regulates sonic booms and gave the Federal Aviation Administration regulatory authority after consultation with the U. S. EPA. In addition, the 1987 Quiet Community amendment gave state and local authorities greater involvement in controlling noise.

Noise is often defined as unwanted sound that can interfere with normal activities or otherwise diminish the quality of the environment. Depending on the noise level, it has the potential to disrupt sleep, interfere with speech communication, or cause temporary or permanent changes in hearing sensitivity in humans and wildlife. Noise sources can be continuous (e.g., constant noise from traffic or air conditioning units) or transient (e.g., a jet overflight or an explosion) in nature. Noise sources also have a broad range of frequency content (pitch) and can be nondescript, such as noise from traffic or be specific and readily definable such as a whistle or a horn. The way the acoustic

environment is perceived by a receptor (animal or person) is dependent on the hearing capabilities of the receptor at the frequency of the noise, and their perception of the noise. (URS 1986)

The amplitude of sound is described in a unit called the decibel (dB). Because the human ear covers a broad range of encountered sound pressures, decibels are measured on a quasi-logarithmic scale. The dB scale simplifies this range of sound pressures to a scale of 0 to 140dB and allows the measurement of sound to be more easily understood.

There are many methods for quantifying noise, depending on the potential impacts in question and on the type of noise. One useful noise measurement in determining the effects of noise is the one-hour average sound level, abbreviated L_{eq1H} . The L_{eq1H} can be thought of in terms of *equivalent* sound; that is, if a L_{eq1H} is 45.3dB, this is what would be measured if a sound measurement device were placed in a sound field of 45.3dB for one hour. The L_{eq1H} is usually A-weighted unless specified otherwise. A-weighting is a

standard filter used in acoustics that approximates human hearing and in some cases is the most appropriate weighting filter when investigating the impacts of noise on wildlife as well as humans. Examples of A-weighted noise levels for various common noise sources are shown in Table 3-9.

Existing noise levels on Vandenberg AFB are generally quite low due to the large areas of undeveloped landscape and relatively sparse noise sources. Background noise levels are primarily driven by wind noise; however, louder noise levels can be found near industrial facilities and transportation routes. Rocket launches and aircraft over flights create louder intermittent noise levels. On Vandenberg AFB, general ambient L_{eq1H} measurements have been found to range from around 35 to 60dB (Thorson et al. 2001).

Construction activities associated with the proposed project would generate relatively continuous noise throughout the 10-month construction period. Details on exact construction equipment that would be used are listed in Chapter 2, Table 2-2.

Table 3-9.
Comparative A-Weighted sound levels.

Noise Level (dBA)	Common Noise Levels	
	Indoor	Outdoor
100 - 110	Rock band inside New York subway	Jet flyover at 304 meters
90 - 100	Food blender at one meter	Gas lawnmower at one meter
80 - 90	Garbage disposal at one meter	Diesel truck at 15 meters Noisy urban daytime
70 - 80	Shouting at one meter Vacuum cleaner at three meters	Gas lawnmower at 30 meters
60 - 70	Normal speech at one meter	Commercial area heavy traffic at 100 meters
50 - 60	Large business office Dishwasher next room	
40 - 50	Small theater (background) Large conference room (background)	Quiet urban nighttime
30 - 40	Library (background)	Quiet suburban nighttime
20 - 30	Bedroom at night	Quiet rural nighttime
10 - 20	Broadcast and recording studio (background)	
0 - 10	Threshold of hearing	

This page intentionally left blank.

Chapter 4. Environmental Consequences

This chapter presents the results of the analysis of potential environmental effects of implementing the Proposed Action and Alternatives as described in Chapter 2. For each environmental component, anticipated impacts are assessed considering short- and long-term effects.

4.1 Biological Resources

Federal agencies are required by Section 7 of the Endangered Species Act (ESA) of 1973, as amended (16 USC 1531 *et seq.*), to assess the effect of any project on federally listed threatened and endangered species. Under Section 7, consultation with the USFWS and the National Oceanic and Atmospheric Administration Fisheries Service (NOAA Fisheries) is required for federal projects if such actions could directly or indirectly affect listed species or destroy or adversely modify critical habitat. It is also Air Force policy to consider listed and special status species recognized by state agencies when evaluating impacts of a project. Impacts to biological resources would occur if special status species (endangered, threatened, rare, or candidate) or their habitats as designated by federal and state agencies would be affected directly or indirectly by project-related activities. These impacts can be short- or long-term impacts, for example, short-term or temporary impacts from noise and dust during construction, and long-term impacts from the loss of vegetation and thereby loss of the capacity of habitats to support wildlife populations.

Different species are subject to different impacts and different sites support different species densities due to spatial variation in the number and type of habitats, the presence

or absence of unique habitat features such as streams or vernal wetlands, and the degree of human-induced disturbance.

Potential impacts to biological resources include:

- short-term (temporary) and long-term (permanent) loss of habitat from construction related activities such as access, excavation and construction;
- loss of individuals within the work area due to excavation, crushing or burial;
- loss of individuals in habitats adjacent to work areas due to soil erosion.
- abandonment of breeding and/or roosting sites due to project related noise and associated disturbance; and
- disruption of foraging or roosting activities due to project related noise and associated disturbance.

Adverse effects resulting from the construction of the proposed WR CT Site on Vandenberg AFB are expected to include temporary, short-term effects as well as permanent, long-term effects. Construction constraints and monitoring measures, as described in Section 2.1.9.1, will prevent or minimize these adverse impacts to native plant communities and special status plant and wildlife species.

Potential project impacts specific to habitats and species are discussed in further detail in the sections that follow.

4.1.1 Alternative A: Proposed Action

Under the Proposed Action approximately 41 acres have the potential to be adversely affected. All vegetation within the

3-acre project area (area of direct disturbance) would be permanently removed, and vegetation within the APE, could also be affected by construction activities (see Figure 2-2 in Chapter 2).

4.1.1.1 Botanical Resources

Potential project related impacts to native plant communities, and special status plant species under the Proposed Action are summarized in Table 4-1.

Native Plant Communities

Approximately three acres of Central Coastal Scrub dominated by coyote brush and non-native perennial grasses (i.e., veldt grass) would be permanently removed as a result of grading and excavation. Approximately 38 acres have the potential to be adversely affected as a result of the installation of utilities and construction activities. The non-native veldt grass has extensively invaded the scrub community within the APE, reducing the biological diversity of this plant community and making this habitat less valuable for plant and wildlife species. Loss and disturbance of this scrub community, although an adverse impact, would not be considered significant given the low value of this habitat.

Special Status Plant Species

One federal and state endangered plant species and one plant species of concern and one federally and state endangered were documented within the APE.

The federally and state endangered Gaviota tarplant occurs in three locations of the ruderal community located along the road shoulders of 13th Street and Atlas Road. One individual was document within the APE for the proposed WR CT Site, along the road shoulder of 13th Street, approximately 1,500 feet south of the area of direct disturbance. Outside of the APE but in the vicinity of the project area, one individual was documented approximately 250 feet south of Atlas Road, and a small population was documented along Watt Road (see Figure 3-1). Because of the annual nature of this species, pre-construction surveys would be conducted immediately prior to the start of construction activities to document the presence of all individual plants and protective measures (i.e., isolation and flagging of individuals) would be implemented to avoid adverse effects to this species during construction activities. In the event that individuals are documented within the path of the proposed trenching for installation of the fiber optic lines, the trenching would be diverted to avoid adversely impacting the plants.

Table 4-1.
Potential Proposed Action project related impacts to native plant communities and special status plant species.

Community/Plant Species	Status*	Adverse Effects
Central Coastal Scrub		Permanent loss of three acres Potential disturbance to 38 acres
<i>Deinandra increscens</i> ssp. <i>villosa</i> Gaviota tarplant	FE/SE	Permanent loss of all individuals adjacent to the roadside without protective measures
<i>Horkelia cuneata</i> ssp. <i>sericea</i> Kellogg's horkelia	FSC	Permanent loss of individuals within the APE without protective measures

* FE – Federally Endangered FSC – Federal Species of Concern SE – State Endangered

Kellogg's horkelia is a federal species of concern and occurs throughout the southern 1,200-foot section of the APE (see Figure 3-1 in Chapter 3). Construction disturbance in this area of the APE would be restricted to the two 18-inch wide trenches required for installation of the fiber optic lines. It is anticipated that one trench would be dug along the western road shoulder of 13th Street with the second one placed between six and 20 feet to its west. To the extent possible, individuals of Kellogg's horkelia would be isolated and protected from adverse effects during construction activities.

4.1.1.2 Wildlife Species

The permanent removal of 3 acres of coastal scrub would be considered an adverse effect on wildlife habitat. However, given the low value of this habitat (as described above), and the availability of ample habitat in the surrounding area, this adverse impact would not be considered significant. In addition, construction activities also generate noise that could result in a potentially adverse short-term (temporary) impact on wildlife resources. The level of impact associated with construction noise is discussed in more detail below.

Construction Noise and Disturbances

Wildlife, including amphibians, reptiles, mammals, and birds, present in the area could be affected by construction noise.

Predictions of noise levels for the different construction activities for a stationary observer were developed for distances between 50 and 1,000 ft (Table 4-2). The equipment and machinery selected for each activity is typical for each type of construction activity. To place noise levels in perspective, a food blender at a distance of three feet generates 90 dB. Riding an automobile at 40 miles per hour produces approximately 75 dB. Normal speech is approximately 60 dB. On Vandenberg AFB, measurements have been found to range from 35 to 60 dB, with the higher level representative of areas with higher traffic (SRS Technologies 2001).

Table 4-2.

Noise levels as a result of construction activities associated with the Proposed Action.

Distance from construction area (Feet)	Maximum L _{eq1h}
50	88.2
100	83.7
300	76.6
500	73.2
1000	68.7

Short-term disturbance of noise-sensitive wildlife species near the construction site would potentially occur. Wildlife response to noise can be physiological or behavioral. Physiological responses can range from mild, such as an increase in heart rate, to more damaging effects on metabolism and hormone balance. Behavioral responses to man-made noise include attraction, tolerance, and aversion. Each has the potential for negative and positive effects, which vary among species and among individuals of a particular species due to temperament, sex, age, and prior experience with noise. Responses to noise are species-specific; therefore, it is not possible to make exact predictions about hearing thresholds of a particular species based on data from another species, even those with similar hearing patterns.

Herpetofauna

Reptile and amphibian species are likely to occur within the APE. Biological monitoring during site grading and removal of vegetation would provide the opportunity to relocate any individuals that are in the path of construction vehicles to suitable habitat adjacent to but outside the construction limits.

Reptile and amphibian hearing is poorly studied. However, reptiles and amphibians are sensitive to vibrations, which provide information about approaching predators and prey. Vibration and noise associated with construction activities would potentially cause short-term disturbance to amphibians and reptiles (e.g., California horned lizard). These impacts would be considered short-term and

would not be considered of a magnitude to result in adverse impacts to populations within the vicinity of the project area. Implementation of the monitoring measures described in Section 2.1.9.1 would prevent the occurrence of any adverse impacts.

Avian Species

Construction activities associated with the Proposed Action would occur over approximately 10 months, which would include the breeding season for many wildlife species including birds. The Migratory Bird Treaty Act (MBTA) of 1918, as amended (16 USC 703-712), provides federal protection to all native avian species, their nests, eggs, and unfledged young.

Construction activities associated with the Proposed Action would result in noise disturbances, which may temporarily disrupt foraging and roosting activities of individual birds within the APE and adjacent areas. Birds would be expected to move away from the area of disturbance during construction activities. However, once activity ceases, birds would be likely to return to the area.

During the breeding season for avian species, construction has the potential to disrupt breeding activities including courtship, incubation and brooding. These impacts would be considered short-term and would not be considered of a magnitude to result in adverse impacts to populations within the vicinity of the project area.

The clearing of vegetation within the area of direct disturbance would result in the removal of existing breeding and roosting habitat for avian species. However, the abundance of suitable habitat in the vicinity would compensate for lost roosting and breeding habitats.

If feasible, clearing of vegetation within the area of direct disturbance would occur during the non-breeding season (September through February) to avoid adverse impacts on breeding avian species. In the event clearing of vegetation within the area of direct disturbance occurs during the breeding

season (March through August), surveys would be conducted for breeding avian species immediately prior to the beginning of vegetation clearing. If any nests were found within the area of direct disturbance, no clearing of vegetation would occur until the eggs are hatched and the young fledged. If nests were found near to but outside the area of direct disturbance, they would be monitored for potential disturbance resulting from noise.

To avoid potential adverse effects to migrating/wintering Western burrowing owls within the project area, pre-construction surveys would be conducted immediately preceding construction activities regardless of the time of year of construction. If non-nesting burrowing owls are present, they would be located, flushed from burrows and a qualified biologist would close the burrows to avoid risk of owl crushing or burial during construction.

Mammals

Mammalian species are likely to occur within the APE. Most individuals are expected to leave the area as a result of noise and human activity. Biological monitoring during site grading and removal of vegetation would provide the opportunity to relocate any individuals that are in the path of construction vehicles to suitable habitat adjacent to but outside the construction limits.

Potential noise related impacts to mammalian species during construction activities would include disruption of normal activities due to noise and ground disturbances. These impacts would be considered short-term and would not be considered of a magnitude to result in adverse impacts to populations within the vicinity of the project area.

Implementation of the construction constraints and monitoring measures described in Section 2.1.9.1 would prevent the occurrence of any adverse impacts.

Operational Impacts

Following construction, potential adverse effects to wildlife species during operation of the facility include potential electrocution of raptors associated with power pole design, and potential collision of diurnal birds with antenna guy wires, and of night-migrating birds and bats with guy wires and omniantennas.

Electrocution of raptors associated with power lines is a well-recognized issue. To prevent risk of electrocution to large raptors, measures for raptor-safe power pole and power line construction are incorporated into the design of all new power pole and power line installations on Vandenberg AFB. Recommendations and guidelines are available at <http://migratorybirds.fws.gov/issues/towers/comtow.html>, and from the Avian Power Line Interaction Committee, Edison Electric Institute and Raptor Research Foundation publication *Suggested Practices for Raptor Protection on Power Lines: The State of the Art in 1996*. If installation of new power poles were required, the guidelines recommended above would be followed.

Likewise, any guy wires incorporated in the antenna installation will include daytime visual markers to prevent collisions with diurnally moving avian species. (For guidance on markers see *Mitigating Bird Collisions with Power Lines: The State of the Art in 1994*).

Implementation of the construction constraints and monitoring measures described in Section 2.1.9.1, would prevent the occurrence of any adverse impacts during construction and operation of the proposed WR CT Site.

Special Status Wildlife Species

No federal threatened or endangered wildlife species are known to occur within the APE. However, several other federal special status wildlife species occur within or near the APE. Potential project related impacts to these species are listed in Table 4-3. Construction activities have the potential to

result in the take of some special status wildlife species from activities such as disturbance. Implementation of the construction constraints and monitoring measures described in Section 2.1.9.1 would prevent the occurrence of any adverse impacts.

The Proposed Action would not adversely modify designated or proposed critical habitat.

Avian Species

The removal of vegetation would result in the loss of existing breeding and roosting habitat for special status avian species. However, given the low quality of the habitat and the abundance of suitable habitat in the vicinity, this adverse impact would be less than significant.

The removal of vegetation within the area of direct disturbance during the non-breeding season for avian species (September through February) would prevent potential for adverse effects on these species. If not feasible, pre-construction surveys immediately preceding vegetation removal during the breeding season (March through August) would prevent adverse effects. Other potential adverse impacts of disturbance to breeding birds in the vicinity of but outside the APE include abandonment of breeding sites, egg breakage by “panicked” adults, physical damage to the eggs due to noise, heating and cooling from exposure during periods of nest abandonment, and increased vulnerability to predation. Increased levels of human activity and associated noise generated during the construction could potentially displace special status species from adjacent nesting habitat. The severity of the impact would depend in a large part on the timing of the activity relative disturbance occurs after nesting has already been initiated, construction-related noise could adversely impact reproductive success.

Some avian species, including ferruginous hawks, white-tailed kites, and Western burrowing owls, have the potential to occur within the project area during migration and wintering months. The presence of these

Table 4-3.
Potential impacts to federal special status wildlife species that occur
or with potential to occur within the APE.

Scientific Name Common Name	Status ¹	Occurrence	Potential Impacts
Reptiles			
<i>Anniella pulchra pulchra</i> Silvery legless lizard	FSC/CSC	Potential	Crushing during vegetation removal and grading, and disruption due to noise.
<i>Phrynosoma coronatum frontale</i> California horned lizard	FSC/CSC	Potential	Crushing during vegetation removal and grading, and disruption due to noise.
Birds			
<i>Athene cunicularia hypugea</i> Western burrowing owl	FSC/CSC	Potential	Disruption due to noise.
<i>Aquila chrysaetos</i> Golden eagle	FP/CSC	Potential	Disruption due to noise.
<i>Buteo regalis</i> Ferruginous hawk	FSC/CSC	Potential	Disruption due to noise.
<i>Carduelis lawrencei</i> Lawrence's goldfinch	FSC	Potential	Abandonment of breeding site and disruption due to noise.
<i>Elanus leucurus</i> White-tailed kite	FSC	Potential	Disruption due to noise.
<i>Lanius ludovicianus</i> Loggerhead shrike	FSC/CSC	Observed	Abandonment of breeding site and disruption due to noise.
<i>Selasphorus sasin</i> Allen's hummingbird	FSC	Potential	Abandonment of breeding site and disruption due to noise.
<i>Toxostoma redivivum</i> California thrasher	FSC	Potential	Abandonment of breeding site and disruption due to noise.

1 FSC – Federal Species of Concern FP – Federally Protected (Bald and Golden Eagle Protection Act of 1940)
CSC – California Species of Concern

species within the vicinity of the project area is likely to be short-term. Should any of these species occur during vegetation removal or construction activities, they would be subject to disturbance that could result in disruption of roosting and foraging activities. Given that disturbances to these species would be indirect and short-term, and that construction activities would be limited in area, with an abundance of suitable habitat in the vicinity, adverse impacts would be less than significant.

Waters of the United States and Wetlands

No wetlands were documented within the APE during the biological surveys. Construction activities associated with the new WR CT Site would not cross any waters of the United States.

4.1.2 Alternative B: No-Action Alternative

Under the No-Action Alternative the proposed WR CT Site would not be constructed, thus no disturbances to ground or vegetation would result. Under this alternative, no impacts to any habitat, plants or wildlife species would result.

4.1.3 Alternative C

Potential adverse impacts under this Alternative would be the same as for the Proposed Action, except that 44 acres (instead of 41) would have the potential to be affected (see Section 4.1.1). The same construction constraints and monitoring measures would apply (Section 2.1.9.1).

4.2 Cultural Resources

Effects to cultural resources would be considered adverse if they resulted in disturbance or loss of value or data that qualify a site for listing in the National Register of Historic Places (NRHP); if there was substantial disturbance or loss of data from newly discovered properties or features prior to their recordation, evaluation and possible treatment; or if the project substantially changed the natural environment or access to it such that the practice of traditional cultural or religious activities would be restricted. For known cultural resource sites, rerouting or redesigning to avoid impacts is typically the recommended option. If rerouting or redesigning is not possible, subsurface testing is usually recommended to determine the value of a site or data potentials relative to the NRHP, to assess possible adverse project effects, and to establish the physical relationship of site boundaries with the APE. In addition, 30 CES/CEVPC requires archaeological and Native American monitoring during construction through or adjacent to any known site, regardless of a site's NRHP eligibility. Archaeological and Native American monitoring is also typically required in areas where buried sites are possible (Lebow and Moratto 2001).

4.2.1 Alternative A: Proposed Action

Archival research indicates that the Alternative A APE was previously surveyed for cultural resources and no archaeological sites are recorded within the APE. Eleven archaeological sites are recorded within 0.25 mile of the APE. The closest site is approximately 800 feet away.

The proposed project will comply with Section 106 of the NHPA and with AFI 32-7065. No impacts to known cultural resources are anticipated under this Alternative. In the event that previously undocumented cultural resources are discovered during construction activities,

guidelines set forth in the Vandenberg AFB Integrated Cultural Resources Management Plan will be followed.

4.2.2 Alternative B: No-Action Alternative

Under the No-Action Alternative the proposed WR CT Site would not be constructed. Thus no impacts to cultural resources would occur.

4.2.3 Alternative C

As with the Proposed Action, no archaeological sites are recorded within the APE. Thus, no adverse impacts to known cultural resources are anticipated. Under Alternative C, the same guidelines as described under the Proposed Action (Section 4.2.1) would apply.

4.3 Air Quality

The criteria for determining the significance of air quality impacts are based upon federal, state, and Santa Barbara County rules and regulations. Impacts would be considered to be significant if project emissions increase ambient pollutant concentrations from below the NAAQS or CAAQS to above these standards, or if they contribute measurably to an existing or projected ambient air quality standard violation. For all the actions evaluated, the construction actions are performed prior to the operational actions, therefore, separate calculations for construction and operational emissions are evaluated for air conformity analysis.

4.3.1 Alternative A: Proposed Action

The U.S. Air Force is required to make a formal conformity analysis to determine whether the Proposed Action complies with the conformity rule found in the Clean Air Act;

as such, an Air Quality Analysis (Appendix D) was completed for the Proposed Action. The results of this analysis deemed the Proposed Action *de minimis* and not regionally significant and, therefore, would be exempt from further conformity requirements. This determination is in accordance with conformity requirements set forth in 40 CFR 93.153 (b) and (c), *Determining Conformity of Federal Actions to State or Federal Implementation Plans, Applicability*, and the Clean Air Act 1990 Amendments, Title I, *Air Pollution Prevention and Control*, Subpart 2, Part D, *Plan Requirements for Nonattainment Areas*, Section 176, *Limitations On Certain Federal Assistance*, (c)(4).

4.3.1.1 Construction

Estimates for construction equipment specifications are presented in Appendix D, *Air Quality Analysis*, Table D-1, while the factors used to estimate emissions are found in Table D-2. For purposes of this analysis, it is estimated that an average of 0.83 acres per day would be disturbed from the trenching and boring activities and other equipment operating on exposed ground. It is further estimated that in a reasonable worst-case day, wherein more equipment than expected would be in operation, 8.27 acres would be disturbed from the trenching and other equipment operating on exposed ground. With construction lasting 8-hours per day and five days per week, the reasonable worst-case day for fugitive dust emissions, including implementing the control measures listed below under *Emission Minimization Measures*, during the Proposed Action would be 23 pounds of PM₁₀ per day. These emissions would not be expected to exceed any ambient air quality standard and, therefore, no adverse impacts from PM₁₀ would occur.

The methodology and assumptions used to calculate emissions from the Proposed Action are presented in Appendix D, *Air Quality Analysis*. The daily and total emission from construction activities can be found in Tables D-3 and D-4, respectively.

The *daily* emissions from the Proposed Action are estimated to be as follows: 44 pounds of CO, 117 pounds of NO_x, 30 pounds of PM₁₀, 11 pounds of ROC, and 2 pounds of SO_x. The *total* project emissions from the Proposed Action are estimated to be as follows: 1.26 tons of CO, 3.08 tons of NO_x, 0.95 tons of PM₁₀, 0.29 tons of ROC, and 0.06 tons SO_x.

Based on the distribution of construction emissions throughout the proposed construction schedule, emissions from this short-term construction project would not be expected to exceed the SBCAPCD significant threshold levels of 25 tons per year. Since no ambient air quality standards would be exceeded, the impacts from construction activities associated with the Proposed Action would not be considered to be significant to the region's air quality.

4.3.1.2 Operations

Current operations support 16 launches per year that would require four personnel per launch for two full days (three shifts). Current back-up diesel generator (500-Hp) operates an average of 45 hours per year.

The proposed WR CT facility would replace current operational activities; however, there are two differences in the new facility operational activities: (1) Personnel would have an eight-mile roundtrip reduction in distance for travel to the new facility; and (2) There would be two 750-Hp back-up generator diesel internal combustion engines (instead of one 500-Hp). The proposed back-up generators will comply with the Stationary Diesel Airborne Toxic Control Measures (ATCM) standards and these emission factors are included in Appendix D, Table D-6.

The operational activities emissions factors, and total operational emissions are included in Appendix D, Tables D-5, D-6, and D-7, respectively.

The annual total operational emissions from the Proposed Action are estimated as follows: 0.30 tons of CO, 0.30 tons of NO_x,

0.01 tons of PM₁₀, 0.03 tons of ROC, and 0.01 tons of SO_x.

Based on the distribution of operational emissions from previous averages, the operational emissions from this project would not be expected to exceed the SBCAPCD significant threshold levels of 25 tons per year. Since no ambient air quality standards would be exceeded, the operational impacts from the Proposed Action would not be considered to be significant to the region's air quality.

Proposed New SBCAPCD Rule Adoption Impacts

The SBCAPCD is proposing rule changes that would affect the type and operational requirements, including potential new permits and potential new source reviews, for internal combustion engines, generators, and overall air quality equipment operations at Vandenberg AFB. The proponent should contact 30 CES/CEV, Environmental Management Office, prior to purchasing, testing, installing air quality equipment, or obtaining a new air quality permit for any activities on Vandenberg AFB to ensure the best compliance operations under the Vandenberg AFB air quality program.

Emission Minimization Measures

The following SBCAPCD dust control measures would be required to further decrease fugitive dust emissions from ground disturbing activities:

- Apply water, preferably reclaimed, at least twice daily to dirt roads, graded areas, and exposed dirt stockpiles to prevent excessive dust at the staging areas. Chlorinated water would not be allowed to run into any waterway.
- Minimize vehicle speeds on exposed earth.
- After completion of construction activities, treat disturbed soil by watering, revegetating, or spreading soil binders to prevent wind erosion of the soil.

- Limit ground disturbance to the smallest, practical area and to the least amount of time.
- Designate personnel to monitor construction to ensure that excessive dust is not generated at construction sites.
- Comply with the SWPPP, including best management practices to reduce dust emissions. The contractor's Environmental Protection Plan should include dust control compliance measures.
- The contractor will implement practices to reduce engine run and idle times.

4.3.2 Alternative B: No-Action Alternative

Under the No-Action Alternative, there would be no construction associated with a new WR CT Site. Therefore, no impacts to air quality would occur as a result of new construction activities.

4.3.3 Alternative C

The total project area for Alternative C would be the same as the Proposed Action, but located 1,500 feet south of Watt Road. Under this Alternative, the fiber optic line would be 240 feet longer and the power line would be 265 feet shorter than under the Proposed Action. Operational aspects under this alternative would be the same as those described under the Proposed Action. Although construction air emissions would differ from those estimated under the Proposed Action, these differences would be insignificant when considering the entire project. Therefore, potential adverse impacts associated with this Alternative would be of the same magnitude as those of the Proposed Action (Section 4.3.1).

4.4 Water Resources

Adverse impacts to water resources would occur if the Proposed Action 1) caused

substantial flooding or erosion, 2) adversely affected surface water, or 3) adversely affected groundwater quantity or quality.

In California, the state Water Resources Control Board and the RWQCB administer the Clean Water Act (CWA) and state water regulations. The Central Coast RWQCB is the local agency responsible for the Vandenberg AFB area. The CWA defines the standards for water quality and mandates that treated water discharged to surface water or to the ocean is subject to the requirements of a NPDES Permit, which ensures that the water discharged meets water quality standards at the point of discharge. The RWQCB is responsible for management of the NPDES Permit process for California.

4.4.1 Alternative A: Proposed Action

Under the Proposed Action, construction activities have the potential to disturb up to 41 acres of land, with a minimum of three acres of disturbance. Because construction activities would disturb a land area greater than one acre, a NOI to comply with the state NPDES General Permit is required to protect water resources. The NPDES Permit requires a SWPPP that identifies sources of sediment and other pollutants in order to 1) reduce or eliminate storm water and non-storm water discharges associated with construction activities, and 2) minimize impacts to water resources by ensuring water discharged from the construction site meets water quality standards at the point of discharge. All NPDES permit requirements would be implemented to minimize potential for adverse effects to water quality. Unless otherwise directed by the 30 CES/CEV Compliance Office, the primary construction contractor is usually responsible for submittal of the NOI.

Construction activities would include the use of hazardous materials that could result in an adverse impact to water resources if not properly controlled and managed. Project activities are not expected to adversely affect the water quality of San Antonio Creek due to the distance between the project area for the

proposed WR CT Site and this waterway. Nevertheless, proper storage, secondary containment, and spill prevention measures would be implemented for the duration of construction activities to prevent the accidental introduction of any hazardous waste into the environment.

Implementation of the protection measures outlined in Section 2.1.9.4 would reduce potential adverse impacts to less-than-significant.

4.4.2 Alternative B: No-Action Alternative

Under this Alternative, the proposed WR CT Site would not be constructed. As a result, water resources would not be adversely affected.

4.4.3 Alternative C

Under this Alternative, construction activities could disturb up to 44 acres, with a minimal disturbance of three acres. Potential adverse impacts to water resources would be of the same magnitude and effect as those of the Proposed Action (Section 4.4.1).

4.5 Earth Resources

Factors considered during evaluation of the environmental consequences of the Proposed Action and Alternatives on earth resources include seismicity, structural damage, surface fault ruptures, and liquefaction.

4.5.1 Alternative A: Proposed Action

Construction activities associated with the proposed WR CT Site would not include extensive excavation or intrusive activities such as blasting. Therefore subsurface geology and soils would not be adversely affected. Surface fault ruptures during a seismic event are not expected to have a

direct effect on the proposed WR CT Site because no faults transverse the project site.

Construction of the proposed WR CT Site would require the removal of vegetation and disturbance of soil during grading, road construction, and installation of foundations and underground utilities. These activities typically loosen the soil and tend to promote erosion during periods of wind or rainfall. Because soils in the vicinity of the project area are subject to high wind erosion, appropriate sediment and soil control techniques would be used to minimize soil loss. Best Management Practices (BMPs) would be followed, including the use of sediment basins, sediment fences, mulch, and water spraying during dry periods. A Soil Erosion and Sediment Control Plan and a SWPPP would be developed by the contractor and implemented in accordance with applicable local, state, and Air Force guidelines to minimize storm water runoff and erosion. Landslides, which are most common in steep-sloped areas, are not likely to occur within the project site because of its gently sloping terrain (see Figure 3-3 in Chapter 3 of this EA).

Implementation of the protection measures outlined in Section 2.1.9.4 would reduce potential adverse impacts to less-than-significant.

4.5.2 Alternative B: No-Action Alternative

Under this Alternative, the proposed WR CT Site would not be constructed. Thus, earth resources would not be affected.

4.5.3 Alternative C

Potential adverse impacts associated with this Alternative would be of the same magnitude and effect as those of the Proposed Action (Section 4.5.1).

4.6 Hazardous Materials and Waste Management

4.6.1 Alternative A: Proposed Action

Hazardous Materials

Hazardous materials primarily in the form of petroleum, oil and lubricants (POL) will be used for construction equipment. Hazardous materials will be properly stored and managed in secured areas. Standard procedures ensuring that all equipment is maintained properly and free of leaks during operation, and all necessary repairs are carried out with proper spill containment, should minimize the risk of accidental spillage. The use of standard spill prevention procedures should ensure that no adverse impacts occur on the environment. Strict compliance with all applicable regulations, as described in Section 2.1.9.6 would avert the potential for adverse impacts as a result of the presence and use of hazardous materials at the Proposed Action.

Solid Waste

All soil excavated during construction activities would be used as backfill, and any excess materials would be spread throughout the site.

Solid waste generated during the construction project would include packaging from materials (cardboard and plastic), scrap rebar, wood, pipes, and wiring, and miscellaneous waste generated by onsite construction workers. Contractors would be responsible for the disposal and/or recycling of all waste generated during the scope of the project.

Construction debris, along with green waste, used tires and other recyclable materials, will be segregated and diverted for reclamation. All green waste would be disposed of at the Vandenberg AFB Landfill. Any wastes resulting from the implementation of the Action that are not authorized to be disposed of in the Vandenberg AFB landfill

will be segregated and taken off base for recycling or disposal.

The addition of the proposed WR CT Site would result in a very small increase in the amount of solid waste generated by Vandenberg AFB. The amount of solid waste generated would not affect the daily maximum waste that the Vandenberg AFB landfill can accept.

The Proposed Action would have no adverse impacts on the environment.

Pollution Prevention

Construction operations associated with the Proposed Action would create pollution in the air and water and would generate hazardous and solid waste. Compliance with the Vandenberg AFB PPMP and implementation of the recommended measures for air quality (Section 4.3), and hazardous waste and solid waste management (see above) would enhance pollution prevention.

Contractors on Vandenberg AFB must comply with affirmative procurement requirements as specified in federal and Air Force policies, regulations and plans, including Section 6002, Federal Procurement, of the Resource Conservation and Recovery Act (RCRA); EO 12873, Federal Acquisition, Recycling, Waste Prevention; EO 13149, Greening the Government; EO 13101, Greening the Government Through Waste Prevention, Recycling, and Federal Acquisition; AFI 32-7080, Compliance Assurance and Pollution Prevention; 30 SW Plan 32-7042, Solid Waste Management Plan; and 30 SW Plan 32-7080, Pollution Prevention Management Plan.

The contractor shall use specified materials with recycled and recovered content as the minimum standard, which shall be considered when evaluating recycled or reused materials as part of the contractor's affirmative procurement program. The contractor shall also consider other green materials and products not listed, but commonly used in industry outside of the

Government as a means of further reducing hazardous materials, hazardous waste and solid waste. The contractor shall make sure these materials and products meet the requirements of any of their contract specifications.

In addition, EO 13101 requires the use of products which have reduced toxicity and hazardous characteristics or reduced embodied energy in its manufacturing. The U.S. EPA provides comprehensive on-line training in the World Wide Web site www.epa.gov/opptintr/epp/toolspage.htm.

Compliance with the guidelines and measures described above would result in no adverse impacts to the environment.

4.6.2 Alternative B: No-Action Alternative

Under this Alternative, the proposed WR CT Site would not be constructed. Thus, no adverse impacts from hazardous materials and waste would occur.

4.6.3 Alternative C

Potential adverse impacts associated with this Alternative would be of the same magnitude and effect as those of the Proposed Action (Section 4.6.1).

4.7 Land Use and Aesthetics

Factors considered in the evaluation of the environmental consequences of implementing the Proposed Action, Alternative C, and the No-Action Alternative for land use include:

- restriction to development of facilities on Vandenberg AFB;
- public accessibility to and interactions with recreational areas in the vicinity of the project area and Vandenberg AFB; and
- the potential for a decrease in available agricultural lands near the project area.

- Aesthetic values as described under the CZMA and the CCA.

4.7.1 Alternative A: Proposed Action

Setting

Construction of the WR CT Site under the Proposed Action would not result in a conversion of prime agricultural land or cause a decrease in the utilization of land. In addition, the proposed WR CT Site is not expected to adversely affect recreation or aesthetics.

The Proposed Action would occupy land presently designated as open space under the Vandenberg AFB General Plan (USAF 2004). Adverse impacts to land use would be negligible because the acreage that would be removed from open space represents less than 0.01% of open space on the Base (Table 4-4).

Construction of the proposed WR CT Site would not result in restrictions to development of facilities or activities associated with Vandenberg AFB mission.

Construction of the proposed WR CT Site under this Alternative would result in the removal of approximately three acres of vegetation and its replacement with various structures. However, because the affected

area is small in size, and degraded as a result of past disturbances, this loss of open space would not be considered a significant adverse effect.

Coastal Zone Management

The CZMA and CCA mandate that the scenic and visual qualities of coastal areas be considered and protected as a resource of public importance. The site for the proposed WR CT facility although located within the California Coastal Zone is not situated along the ocean or other scenic coastal area. No adverse impacts to the coastal zone, as defined by the CZMA and CCA, are anticipated as a result of construction of the proposed WR CT Site. Coordination with the California Coastal Commission is required for development within the coastal zone. Vandenberg AFB will address the Proposed Action with Commission staff and request California Coastal Commission concurrence with a Negative Determination.

4.7.2 Alternative B: No-Action Alternative

Under this Alternative, the proposed WR CT Site would not be constructed. Thus, no adverse impacts to land use and aesthetics would occur.

Table 4-4.
Distribution of Land Use on Vandenberg AFB.

Land Use	Area (acres)	Percent
Administrative	71	0.07
Air Education Training Command	80	0.08
Airfield	870	0.88
Community	88	0.09
Housing	637	0.70
Industrial	5,510	5.60
Launch Operations	2,198	2.23
Medical	16	0.02
Open Space	88,260	89.65
Outdoor Recreation	666	0.68
Bodies of Water	49	0.05

Source: Vandenberg AFB 2004.

Note: Percentages do not total 100 percent due to rounding.

4.7.3 Alternative C

As with the Proposed Action (section 4.7.2), no adverse impacts would result from this Alternative. California Coastal Commission concurrence with a Negative Determination would also be required under Alternative C.

4.8 Utilities

4.8.1 Alternative A: Proposed Action

Although unlikely, temporary accidental disruption of electrical service could occur during construction. However, these power outages would affect Vandenberg AFB users only. A negligible increase in electrical usage is expected as a result of the operation of the proposed WR CT Site.

Temporary disruptions in water service may occur as underground pipes are rerouted or installed to supply water to the proposed WR CT Site. Potential accidents during construction activities could result in the temporary disruption of water to Vandenberg AFB users. Tanker trucks would provide water for construction purposes; therefore, no increase in water usage resulting from construction activities is expected to occur. Water usage rates after completion of construction are not expected to significantly increase given the magnitude of the proposed project.

A negligible increase in wastewater generated by the construction crews is expected. All wastewater generated would be transported to the Lompoc Regional Wastewater Treatment Plant. Once construction is completed, a septic waste system will service the facility and wastewater will not be generated.

Based on the estimated short-term and limited changes in utilities consumption, no adverse environmental impacts would result

from the construction and operation of the facility.

Based on the estimated short-term and limited changes in utilities consumption, no adverse environmental impacts would result from the Proposed Action.

4.8.2 Alternative B: No-Action Alternative

Under this Alternative, the proposed WR CT Site would not be constructed. Thus, there would be no effects on utilities.

4.8.3 Alternative C

As with the Proposed Action (Section 4.8.1), no adverse impacts would result from this Alternative.

4.9 Human Health and Safety

4.9.1 Alternative A: Proposed Action

To provide for the health and safety of workers, subcontractors, and visitors during construction operations associated with the Proposed Action, the construction contractor would comply with AFOSH and Federal-OSHA regulations. Compliance with these regulations should avoid general construction hazards that could adversely impact human health and safety and ensure no significant adverse environmental impacts result from implementation of the Proposed Action.

Prior to the start of construction activities, the site would be inspected and cleared of UXO.

Hazardous Materials and Wastes

Hazardous materials, primarily in the form of POLs would be used for operating the construction equipment. The potential exists for unexpected releases of POLs. Strict compliance with OSHA and AFOSH

regulations would avert the potential for adverse impacts to human health and safety.

Radio Frequency Hazards

During operation of the proposed WR CT Site, four VUS directional antennas will be active during launches. Each antenna will be active for approximately eight hours, with an additional six hours for extended operations. Presently, there are 18 launches scheduled for 2005. Antennas can also be activated for maintenance, training and other support operations, and dummy loads. Radio frequency (RF) radiation emanating from the antennas is recognized as having adverse effects on human health and safety, Electro Explosive Devices (EED), and Electro Magnetic Interference (EMI) for aircraft activity. Table 4-5 lists distances to avoid adverse RF radiation.

Table 4-5.
Safe distances for directional antennas.

Hazard	Meters	Feet
Personnel	42.20	138.50
Exposed EED's	493.32	1618.52
EMI for Aircraft	40.98	134.45

The antenna control design will be oriented such that the main beams will be pointing southwest, towards open space. RF radiation hazards could potentially result in adverse impacts if personnel were directly exposed to RF radiation. The closest roadway where personnel could be present during activation of the antennas is approximately 4,500 feet southwest, at Cross Road. Given the distance, no adverse impacts to human health and safety would occur.

The closest point from the directional antennas to the Airfield is approximately 7,850 feet. Based on calculations for antennas operating at the proposed WR CT Site, the airfield will not be adversely impacted from RF radiation.

Noise

According to regulations of the federal OSHA, employees should not be subjected to sound exceeding an average sound level (L_{eq}) of 90dB for an 8-hour period. This sound level increases by five dB with each halving of time (e.g., four hour period at 95dB). Exposure up to an L_{eq} of 115dB is permitted for a maximum of only 15 minutes during an 8-hour workday and no exposure above 115dB is permitted. For this analysis, OSHA standards are used as the "not to exceed" criteria as they are the most appropriate standards available. Furthermore, for this document "employees" would refer instead to personnel working on or visiting Vandenberg AFB that are not associated with the construction activities.

Predictions of noise levels for the different construction activities for a stationary observer were developed for distances of 50, 100, 300, 500 and 1000 feet (Table 4-6). The equipment and machinery selected for each activity is typical for each type of construction activity.

Table 4-6.
 L_{eq1h} noise levels as a result of construction activities.

Distance from construction area (Feet)	Maximum L_{eq1h}
50	88.2
100	83.7
300	76.6
500	73.2
1000	68.7

As a sound source gets further away, the sound level decreases. This is called the attenuation rate. The rate used in these estimates was a decrease in level of 4.5dB per doubling of distance. This average rate has been shown to be an accurate estimate from field data on grassy surfaces (Harris 1998).

The Proposed Action would temporarily increase the ambient noise levels within the

project area and in neighboring areas. Based on the size of the construction activities, recommended noise levels of OSHA, and the anticipated exposure time to the construction noise, it is anticipated that adverse impacts would be minimal or non-existent and below the level of significance.

Other Potential Hazards

Potential physical hazards, including holes or ditches, uneven terrain, sharp or protruding objects, and slippery soils or mud, and biological hazards, including vegetation (i.e. poison oak and stinging nettle), animals (i.e. insects, spiders, and snakes), and disease vectors (i.e. ticks, rodents), have the potential to adversely impact the health and safety of construction personnel. Awareness training would reduce the likelihood that these hazards would interfere with construction personnel, and prevent adverse impacts from occurring.

4.9.2 Alternative B: No-Action Alternative

Under the No-Action Alternative, construction would not occur and there would be no health and safety impacts resulting from construction or operation activities.

4.9.3 Alternative C

As with the Proposed Action (Section 4.9.1), no adverse impacts are anticipated with this Alternative.

4.10 Cumulative Impacts

Cumulative impacts result from the incremental effect of an action when added to other past, present, and reasonably foreseeable future actions in the vicinity of the proposed project, regardless of what agency undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time.

The construction period for the Proposed Action is anticipated to last approximately 10 months. Projects completed in the vicinity of the Proposed Action within the past five years include a full replacement of the El Rancho Road Bridge over San Antonio Creek, the installation of fiber optic lines along Cross Road and El Rancho Road, and construction activities associated with facility refurbishments at Building 1768. One potential project has been identified that would occur in the vicinity of the Proposed Action site within the next five years.

The El Rancho Road Bridge project occurred approximately 0.75 miles to the northeast of the proposed WR CT Site location. Impacts associated with the El Rancho Road Bridge project affected biological resources within the riparian area and associated wetlands of San Antonio Creek in the vicinity of the project, and cultural resources near the project site. The proposed WR CT Site is a small magnitude project that is not anticipated to result in adverse impacts on resources analyzed with implementation of the recommended construction constraints and monitoring measures (Section 2.1.4). Because of its small magnitude and lack of adverse impacts, no adverse cumulative impacts are expected as a result of this project when considered in conjunction with the El Rancho Road Bridge project.

The installation of the fiber optic lines in the vicinity of the Proposed Action occurred at its nearest point at a distance of approximately 6,000 feet (1.1 miles), at the junction of Cross Road and El Rancho Road. These fiber optic lines were installed along the road shoulders with only minor adverse effects resulting to the ruderal vegetation occupying these areas. The federally endangered Gaviota tarplant was located within the action area for this project. However, construction constraints avoided any adverse effects on individuals of this species, thus no adverse effects resulted. The Proposed Action also provides for construction constraints to avoid adverse

effects on this species. Thus, no adverse cumulative impacts are expected to occur.

Building 1768 is approximately 7,000 feet (1.3 miles) south of the Proposed Action site. Construction activities associated with the renovation of this facility resulted in the removal of approximately 0.7 acres of Burton Mesa chaparral. No coastal scrub was affected by this project. The Proposed Action would result in the removal of approximately three acres of low quality coastal scrub. Because the removal of this scrub would be considered a minor adverse effect and the Proposed Action would not affect Burton Mesa Chaparral, no cumulative effects would result from the Proposed Action when considered in conjunction with this other past project.

The demolition of existing structures at

the ABRES launch complex, approximately 0.25 miles northwest of the proposed site, could occur within the next five years. This project would entail the demolition to ground level of unoccupied structures (i.e., gantry, launch control center, pump house and a launch pad). Natural plant communities would not be affected by this project because it would occur in an already developed site. Potential impacts resulting from the generation of solid waste and air emissions would be analyzed in environmental documentation as of yet not completed. However, because the solid waste and air emissions generated by the Proposed Action would be of almost negligible levels, cumulative impacts on the environment would not result when considering both actions together.

This page intentionally left blank.

Chapter 5. Agencies and Persons Contacted

Butch Browder, Engineer, Spacelift Range System Contract, ITT Industries/System Division, Vandenberg AFB

Don Dudley, Engineer, Spacelift Range System Contract, ITT Industries/System Division, Vandenberg AFB

Nancy Francine, Base Wildlife Biologist, 30 CES/CEVPN, Vandenberg AFB

Chris Gillespie, Base Botanist, 30 CES/CEVPN, Vandenberg AFB

Eva Korientz, Engineer, Spacelift Range System Contract, ITT Industries/System Division, Vandenberg AFB

Bryant Lombardi, 30 CES/CECES, Vandenberg AFB

Ron MacLelland, Environmental Engineer, Project Manager, Installation Restoration Program, 30 CES/CEVR, Vandenberg AFB

Laura Prishmont, Staff Archaeologist, 30 CES/CEVPC, Vandenberg AFB

Gerry Ruiz, SMC/RNVI, Vandenberg AFB

Bud Webb, 30 SCS/SCXYL, Vandenberg AFB

Tara Wiskowski, Environmental Planner, 30 CES/CEVPP, Vandenberg AFB

This page intentionally left blank.

Chapter 6. List of Preparers

Alice Abela, Wildlife Biologist, SRS Technologies

B.S. 2003 Biology, California Polytechnic State University, San Luis Obispo

Years of Experience: 3

Erik Berg, Bioacoustics Engineer, SRS Technologies

B.S. 1995 Physics/Biophysics, University of California, San Diego

Years of Experience: 9

Jon Francine, Program Manager, SRS Technologies

B.S. 1989 Biology, University of California, San Diego

Years of Experience: 15

Joyce L. Gerber, Senior Archaeologist, Applied EarthWorks, Inc.

B.S. 1979, Anthropology, The Ohio State University, Columbus, Ohio

M.A. 1992, Archaeology, University of California, Santa Barbara

Years of Experience: 25

Mark Inguaggiato, Engineer, SRS Technologies

B.S. 1988, Electrical and Electronic Engineering, California State University, Sacramento

M.S. 1993, Human Resource Management, Chapman University

M.S. 2004, Engineering, University of Arkansas

Years of Experience: 16

Samantha Kaisersatt, Wildlife Biologist, SRS Technologies

B.S. 2000 Ecology & Systematic Biology, California Polytechnic State University, San Luis Obispo

Years of Experience: 6

Clayton Lebow, Vice President/Senior Archaeologist, Applied EarthWorks, Inc.

B.S. 1977, Forest Engineering, Oregon State University, Corvallis

M.A. 1983, Archaeology, Cultural Anthropology & Geography, Oregon State University, Corvallis

Years of Experience: 27

M. Paloma Nieto, Senior Research Biologist, SRS Technologies

B.S. 1997 Ecology & Wildlife Biology, California Polytechnic State University, San Luis Obispo

M.S. 1999 Biological Sciences, California Polytechnic State University, San Luis Obispo

Years of Experience: 9

This page left intentionally blank.

Chapter 7. Bibliography

- Advanced Sciences, Inc. 1991. *Cultural Resources Survey ABRES—A Complex at Vandenberg Air Force Base, California*. Advanced Sciences, Inc. On file, 30 CES/CEVPC, Vandenberg Air Force Base, California (VAFB-1991-05).
- Alterman, I.B., R.B. McMullen, L.S. Cluff, and D.B. Slemmons (eds). 1994. Seismotectonics of Central California Coast Ranges. Geological Society of America Special Paper 292.
- California Department of Finance, Economic Research. 2002. Financial and Economic Data, California County Profiles. Santa Barbara County Profile. February 2001. Retrieved December 13, 2002 from World Wide Web <http://www.dof.ca.gov>.
- California Department of Fish and Game (CDFG). 1990. California's Wildlife – Birds. D.C. Zeiner, W.F. Laudenslayer Jr., K.E. Mayer, and M. White, eds. California Wildlife Habitat Relationships System. Retrieved on February 25, 2004, from the World Wide Web: <http://www.dfg.ca.gov/whdab/html/cawildlife.html>.
- California Department of Fish and Game (CDFG). 1999. Special Status Plants, Animals and Natural Communities of Santa Barbara County. California Natural Diversity Data Base.
- California Department of Fish and Game (CDFG). 2000. The Status of Rare, Threatened, and Endangered Animals and Plants of California, Gaviota tarplant. Retrieved on February 25, 2004, from the World Wide Web: http://www.dfg.ca.gov/hcpb/cgi-bin/read_one.asp?specy=plants&idNum=131.
- California Department of Fish and Game (CDFG). 2001. Special Plants and Animals: Casmalia USGS Quadrangle. California Natural Diversity Database.
- California Department of Fish and Game (CDFG). 2004a. Special Animals. Department of Fish and Game Wildlife and Habitat Analysis Branch. California Natural Diversity Database. Retrieved on February 25, 2004 from the World Wide Web: <http://www.dfg.ca.gov/whdab/pdfs/spanimals.pdf>.
- California Department of Fish and Game (CDFG). 2004b. Special Vascular Plants, Bryophytes, and Lichens List. Department of Fish and Game Wildlife and Habitat Analysis Branch. California Natural Diversity Database. Retrieved on February 25, 2004, from the World Wide Web: <http://www.dfg.ca.gov/whdab/pdfs/SPPlants.pdf>.
- California Department of Transportation (Caltrans). 2003. 2002 All Traffic Volumes on CSHS. Traffic and Vehicle Data Systems Unit. Retrieved on January 7, 2003, from the World Wide Web: <http://www.dot.ca.gov/hq/traffops/saferesr/trafdata/2002all.html>.
- California Partners in Flight (CPIF). 2000. Version 1.0. The draft grassland bird conservation plan: a strategy for protecting and managing grassland habitats and associated birds in California (B. Allen, lead author). Point Reyes Bird Observatory, Stinson Beach (<http://www.prbo.org/CPIF/Consplan.html>).

- Carbone, L.A., and R.D. Mason. 1998. *Phase I, II, and III Archaeological Surveys for Cultural Resources Inventory, Vandenberg Air Force Base, Santa Barbara County, California*. Science Applications International Corporation and Chambers Group, Inc., Santa Barbara, California. Submitted to USDI National Park Service, Western Region Interagency Archeological Services Branch, San Francisco.
- Christopher, S.V. 1996. Reptiles and amphibians of Vandenberg AFB, Santa Barbara County, California. Museum of Systematics and Ecology, Report No. 4, University of California, Santa Barbara, in cooperation with the National Biological Service, San Simeon.
- Christopher, S.V. 2002. Sensitive amphibian inventory at Vandenberg Air Force Base, Santa Barbara County, California. Summary of preliminary results and site maps. Appendix A Field survey data January 1995 through March 2002.
- Clark, M.E. 1997. *Archaeological Surveys around Septic Systems at Various Facilities, Vandenberg Air Force Base, Santa Barbara County, California*. Tetra Tech, Inc., Santa Barbara, California, and Applied EarthWorks, Inc., Fresno, California. Submitted to 30 CES/CEV, Vandenberg Air Force Base, California, USAF Contract No. F04684-95-C-0045, Work Request No. 1.
- Coulombe, H.N., and C.R. Mahrtdt. 1976. *Ecological Assessment of Vandenberg Air Force Base, California*. Vol II: Biological inventory, 1974/75. Prepared for Headquarters Space and Missile Systems Org., Air Force Systems Command, Los Angeles Air Force Station, California.
- Craig, S. 1980. *Cultural Resource Impact Evaluation and Mitigation Planning for the MX Missile System, Vandenberg Air Force Base, California*. HDR Sciences, Santa Barbara, California. Submitted to U.S. Air Force, Ballistic Missile Office, Norton Air Force Base, California, Contract No. F04704-80-V-0008 (VAFB-1980-13).
- Denardo, C. 1997. *Letter Report; Task Assignment 216C, Combat Information Transportation System (CITS) Project Monitoring of Fiber-Optic Cable Installation within CA-SBA-592*. Applied EarthWorks, Inc., Lompoc, California, for Tetra Tech, Inc., Santa Barbara, California. Submitted to 30 CES/CEV, Vandenberg Air Force Base, California, USAF Contract No. F04684-95-C-0045.
- Dibblee Jr., T.W. 1950. Geology of the southwestern Santa Barbara County, California. California Division of Mines Bulletin 150.
- Earle, D.D., and J.R. Johnson. 1999. Chumash Ethnohistoric and Ethnographic Overview of Sacred and Traditional Sites, Vandenberg Air Force Base. Chambers Group, Inc., Santa Barbara, California. Submitted to USDI National Park Service, Western Region Interagency Archeological Services Branch, San Francisco, Contract No. 1443 CX 8000-92-010.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.
- Glassow, M.A. 1977. *An Intensive Archaeological Survey of Five Areas on Vandenberg Air Force Base, Santa Barbara County, California*. Anthropology Department, University of California, Santa Barbara. Submitted to USDI National Park Service, Western Region Interagency Archeological Services Branch, San Francisco, Contract No. CX8880-7-0005 (VAFB-1977-01).

- Glassow, M.A., L. Wilcoxon, and J.M. Erlandson. 1988. Cultural and Environmental Change during the Early Period of Santa Barbara Channel Prehistory. In *The Archaeology of Prehistoric Coastlines*, edited by G. N. Bailey and J. E. Parkington, pp. 64-77. Cambridge University Press, Cambridge.
- Gough, G.A., J.R. Sauer, and M. Iliff. 1998. Patuxent Bird Identification Infocenter. Version 97.1. Patuxent Wildlife Research Center, Laurel, MD. Retrieved on February 25, 2004, from the World Wide Web: <http://www.mbr-pwrc.usgs.gov/Infocenter/infocenter.html>.
- Harris, C.M. 1998. Handbook of acoustical measurements and noise control. Third Edition. McGraw Hill. New York.
- HDR Sciences. 1979. *Cultural Resources Impact Evaluation and Mitigation Planning for the MX Missile System, Vandenberg Air Force Base*. On file, Central Coast Information Center, California Historical Resources Information System, University of California, Santa Barbara.
- HDR Sciences. 1982. *A Summary of HDR Archaeological Testing and Mitigation Excavation Programs in the San Antonio Terrace Dunes, Vandenberg Air Force Base*. HDR Sciences, Santa Barbara, California. Prepared for the U.S. Air Force Ballistic Missile Office, Norton Air Force Base, California.
- Hickman, J.C. (ed.). 1993. The Jepson Manual. Higher Plants of California. University of California Press, Berkeley. 1400 pp.
- Holland, R.F. 1986. Preliminary descriptions of the terrestrial natural communities of California. Nongame Heritage Program. California Department of Fish and Game, Sacramento.
- Holmgren, M.A., and P.W. Collins. 1999. Final report on the distribution and habitat associations of six bird species of special concern at Vandenberg Air Force Base, Santa Barbara County, California. Prepared for Vandenberg Air Force Base, 30CES/CEVPN, Natural Resources, Vandenberg Air Force Base, California. Santa Barbara Museum of Natural History Monographs No. 1, Studies in Biodiversity No. 1. 204 pp.
- Hudson, D.T., and T.C. Blackburn. 1982. *Food Procurement and Transportation*. The Material Culture of the Chumash Interaction Sphere, vol. I. Ballena Press Anthropological Papers No. 25. Ballena Press/Santa Barbara Museum of Natural History Cooperative Publication, Los Altos and Santa Barbara, California.
- Hudson, D.T., and T.C. Blackburn. 1985. *Clothing, Ornamentation, and Grooming*. The Material Culture of the Chumash Interaction Sphere, vol. III. Ballena Press Anthropological Papers No. 28. Menlo Park, California.
- Hudson, D.T., and T.C. Blackburn. 1986. *Ceremonial Paraphernalia, Games, and Amusement*. The Material Culture of the Chumash Interaction Sphere, vol. IV. Ballena Press Anthropological Papers No. 30. Menlo Park, California.
- Hudson, D.T., T. Blackburn, R. Curletti, and J. Timbrook (editors). 1977. *The Eye of the Flute: Chumash Traditional History and Ritual, as told by Fernando Librado Kitsepawit to John P. Harrington*. Malki Museum Press, Banning.
- Hudson, D.T., and E. Underhay. 1978. *Crystals in the Sky: An Intellectual Odyssey Involving Chumash Astronomy, Cosmology, and Rock Art*. Ballena Press Anthropological Papers 10. Socorro, New Mexico.
- Jennings, C.W. 1994. Fault map of California and adjacent areas. California Division of Mines and Geology. California Geological Data Map Series, Map No. 6, Scale 1:750,000.

- Keil, D.J., and V.L. Holland. 1998. Documented Flora of Vandenberg Air Force Base Santa Barbara County, California. California Polytechnic State University, San Luis Obispo.
- King, C.D. 1984. Ethnohistoric Background. In *Archaeological Investigations on the San Antonio Terrace, Vandenberg Air Force Base, California, in Connection with MX Facilities Construction*, pp. I-1-I-54. Chambers Consultants and Planners, Stanton, California. Submitted to the U.S. Army Corps of Engineers, Los Angeles District, Contract No. DAC09-81-C-0048.
- Lebow, C.G. 1997a. *Testing Plan Eligibility Testing and Boundary Definition at Archaeological Site CA-SBA-592*. Applied EarthWorks, Inc., Lompoc, California. Submitted to 30 CES/CEV, Vandenberg Air Force Base, California.
- Lebow, C.G. 1997b. *Preliminary Report Eligibility Testing and Boundary Definition at Archaeological Site CA-SBA-592*. Applied EarthWorks, Inc., Lompoc, California. Submitted to 30 CES/CEV, Vandenberg Air Force Base, California.
- Lebow, C.G., and M.J. Moratto. 2001. Draft Integrated Cultural Resources Management Plan, Vandenberg Air Force Base, Santa Barbara County, California, Vol. 5: Management of Prehistoric Archaeological Resources, edited by Michael J. Moratto. Tetra Tech, Inc., Santa Barbara, California, and Applied EarthWorks, Inc., Fresno, California. Submitted to 30 CES/CEV, Vandenberg Air Force Base, California. USAF Contract No. F04684-95-C-0045, Work Request 14.
- Lehman, P.E. 1994. The birds of Santa Barbara County, California. Vertebrate Museum, University of California, Santa Barbara. 337 pp.
- Mirro, M.J., and C.G. Lebow. 2003. *Archaeological Survey of the Peacekeeper Wildfire Area on North Vandenberg Air Force Base, Santa Barbara County, California*. Applied EarthWorks, Inc., Lompoc, California. Submitted to 30 CES/CEV, Vandenberg Air Force Base, California, USAF Contract No. T0900DF415.
- Natural Resources Conservation Service (NRCS). 2001. Official Soil Series Descriptions. Soil Survey Division. United States Department of Agriculture. Retrieved on January 15, 2004, from the World Wide Web: <http://ortho.ftw.nrcs.usda.gov/osd/>.
- Neff, H. 1982. *Final Report, Vandenberg Air Force Base, California, 1982 Fuels Management Program, Cultural Resources Survey/Evaluation*. Office of Public Archaeology, Social Process Research Institute, University of California, Santa Barbara. Submitted to USDI National Park Service, Interagency Archeological Services Division, San Francisco, in partial fulfillment of Contract No. DX 800-2-0024 (VAFB-1982-06).
- Osland, K. 1992. *Intensive Archaeological Survey for a Proposed Power Line Replacement Power Plant 1 to MM/LF00-26*. 30 CES/CEVP, Vandenberg Air Force Base, California. Submitted to 730 Civil Engineering Squadron, Engineering and Contracts Branch, Vandenberg Air Force Base, California.
- Osland, K. 1993. *Archaeological Survey for the Proposed Wildlife Fire Training Area Thirteenth Street and Watt Road, Vandenberg Air Force Base, California*. 30 CES/CEVPC, Vandenberg Air Force Base, California (VAFB-1993-03).
- Palmer, K. 1999. *Central Coast Continuum From Ranchos to Rockets: A Contextual Historic Overview of Vandenberg Air Force Base, Santa Barbara County, California*. Prepared by Palmer Archaeology and Architecture Associates, Santa Barbara, California. Draft submitted to 30 CES/CEVPC, Vandenberg Air Force Base, California.

- Reynolds, Smith and Hill, Inc. (Reynolds et al). 1985. Phase I problem identification and records search, Vandenberg Air Force Base, Installation Restoration Program. Jacksonville, Florida.
- Roberts, L.J. 1984. Historical Overview of the Study Area. In *Archaeological Investigations on the San Antonio Terrace, Vandenberg Air Force Base, California, in Connection with MX Facilities Construction*, Appendix II. Chambers Consultants and Planners, Stanton, California. Submitted to U.S. Army Corps of Engineers, Los Angeles District, Contract No. DAC09-81-C-0048. Coyote Press, Salinas, California.
- Shipman, G.E. 1972. Soil survey of Santa Barbara County, northern Santa Barbara area. U.S. Department of Agriculture, Soil Conservation Service. Washington D.C.
- Skinner, M.W., and B.M. Pavlik. 1994. Inventory of Rare and Endangered Vascular Plants of California. Fifth Edition. California Native Plant Society, Sacramento.
- SRS Technologies. 2001. Modification of the Final Rule: Taking and Importing Marine Mammals; Taking Marine Mammals Incidental to Rocket Launches at Vandenberg Air Force Base, California. SRS Technologies Technical Report submitted to the U.S. Air Force and the National Marine Fisheries Service. May 2001. 114 pp.
- Thorson, P.H., J.K. Francine, E.A. Berg, L.E. Fillmore, and D.A. Eidson. 2001. Acoustic Measurement of the 21 September 2000 Titan II G-13 Launch and Quantitative Analysis of Behavioral Responses for Selected Pinnipeds on Vandenberg Air Force Base, CA. SRS Technologies technical report submitted to the United States Air Force and the National Marine Fisheries Service. 29 pp.
- U.S. Air Force (USAF). 1987. Mineral resource management plan: Potential exploration, development, and production of oil and gas resources, Vandenberg Air Force Base.
- U.S. Air Force (USAF). 1998. Final Environmental Assessment for Installation of Tranquillon Mountain Fiber-Optic Cable System, Vandenberg AFB, California. 22 May 1998.
- U.S. Air Force (USAF). 2002. Final Environmental Impact Statement for El Rancho Road Bridge Project, Vandenberg Air Force Base, California. June 2002.
- U.S. Air Force (USAF). 2003. Final Draft Integrated Natural Resources Management Plan, Vandenberg Air Force Base, California. Prepared for: 30 CES/CEV, Vandenberg Air Force Base, California. Prepared by: SRS Technologies, Lompoc, California.
- U.S. Air Force (USAF). 2004. Vandenberg Air Force Base General Plan.
- U.S. Fish and Wildlife Service (USFWS). 2000. Service Interim Guidelines For Recommendations On Communications Tower Siting, Construction, Operation, and Decommissioning. Retrieved on September 16, 2004 from the World Wide Web <http://migratorybirds.fws.gov/issues/towers/comtow.html>.
- University of California Santa Barbara (UCSB). 1999. Economic Forecast Project.
- URS Consultants. 1986. San Miguel Project and Northern Santa Maria Basin Area Study – Final Environmental Impact Statement, Environmental Impact Report. Prepared for County of San Luis Obispo, Minerals Management Service, State Lands Commission, County of Santa Barbara, California Coastal Commission, and California Office of Offshore Development. October 1986.
- Vandenberg AFB. 2001. 2000 Hazardous waste report. Prepared by 30 CES/CEV Vandenberg Air Force Base. February 2001.

- Viers, J., M.C. McCoy, J.F. Quinn, K. Beardsley, and E. Lehmer. 1998. California Rivers Assessment: Assembling Environmental Data to Characterize California's Watersheds. 1998 ESRI User Conference Proceedings. Retrieved on December 16, 2003, from the World Wide Web: http://endeavor.des.ucdavis.edu/newcara/slope.asp?cara_id=136.
- Wallace, W.J. 1978. Southern Valley Yokuts. In *California*, edited by Robert F. Heizer, pp. 448-461. Handbook of North American Indians, vol. 8, W. C. Sturtevant, general editor. Smithsonian Institution, Washington, D.C.
- Warren, C.N. The San Dieguito Complex: A Review and Hypothesis. *American Antiquity* 32:168-185.
- WESTEC Services, Inc. 1981. *Geophysical Evaluation, Vandenberg Air Force Base, Santa Barbara County, California, for Union Oil Company of California*. WESTEC Services, Inc., Tustin, California. Submitted to Union Oil Company, Ventura, California (VAFB-1981-04).

Chapter 8. Distribution List

California Coastal Commission, Federal Consistency Review, San Francisco, CA
California Native Plant Society, Los Osos, CA
California Regional Water Quality Control Board, Central Coast Region, San Luis Obispo, CA
Environmental Defense Center, Santa Barbara, CA
La Purisima Audubon Society, Lompoc, CA
Santa Barbara County Air Pollution Control District, Project Review, Santa Barbara, CA
Santa Barbara Museum of Natural History, Santa Barbara, CA
Santa Ynez Chumash Indian Reservation, Tribal Elders Council, Santa Ynez, CA
U.S. Fish and Wildlife Service, Ventura Field Office, Ventura, CA
University of California, Museum of Systematics & Ecology, Santa Barbara, CA
Lompoc Public Library, Lompoc, CA
Santa Barbara Public Library, Santa Barbara, CA
Santa Maria Public Library, Santa Maria, CA
University of California, Library, Santa Barbara, CA
Vandenberg AFB Library, Vandenberg AFB, CA

This page intentionally left blank.